

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A23K 1/165, A01H 5/00, C12N 9/16		A1	(11) International Publication Number: WO 99/48380 (43) International Publication Date: 30 September 1999 (30.09.99)
(21) International Application Number: PCT/DK99/00154 (22) International Filing Date: 22 March 1999 (22.03.99) (30) Priority Data: 0407/98 23 March 1998 (23.03.98) DK PA 1998 00806 19 June 1998 (19.06.98) DK PA 1998 01176 18 September 1998 (18.09.98) DK PA 1999 00091 22 January 1999 (22.01.99) DK PA 1999 00093 22 January 1999 (22.01.99) DK (71) Applicant: NOVO NORDISK A/S [DK/DK]; Corporate Patents, Novo Allé, DK-2880 Bagsværd (DK). (72) Inventor: PETERSEN, Svend; Novo Nordisk a/s, Novo Allé, DK-2880 Bagsværd (DK).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>	
(54) Title: THERMOSTABLE PHYTASES IN FEED PREPARATION AND PLANT EXPRESSION			
(57) Abstract <p>The use of thermostable phytases in the preparation of animal feed, and the expression in plants of such phytases. For preparation of animal feed, a thermostable phytase is added before or during the agglomeration step. Preferred processes are pelleting, extrusion and expansion. A transgenic plant expressing a thermostable phytase may be used directly in animal feed preparation.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

**Thermostable phytases in
feed preparation and plant expression**

Technical Field

5 This application relates to thermostable phytases, viz. their use in processes for the production of animal feed, and their expression in plants.

Background art

10 WO 91/14782 describes transgenic tobacco and rapeseed plants expressing a phytase derived from *Aspergillus ficum* NRRL 3135. The transgenic tobacco seeds are fed to broilers.

US 5,824,779 describes in standard fashion how to produce transgenic alfalfa expressing the same *A. ficum* phytase, and
15 the preparation of a phytase-containing concentrate which can be used per se as an animal feed supplement.

EP 0 556 883 B1 describes a method for preparing feed pellets based on an extrusion technique. The addition of temperature sensitive agents, one example of which is phytase,
20 takes place after extrusion of the feed pellets, and the sensitive agents are loaded onto the pellets under reduced pressure.

As acknowledged in EP 0 556 883 B1 the loss of activity of heat-sensitive substances during feed preparation processes is a
25 well-known problem. The above EP-patent proposes to solve this problem by adding these substances under reduced pressure subsequent to the extrusion process. This solution, however, requires a liquid form of the sensitive substance, as well as the installation of additional expensive process equipment.

The present invention provides an improved process for preparing animal feed, as well as improved phytase-expressing transgenic plants.

5 **Summary of the Invention**

The present invention provides a process of preparing an animal feed, which process comprises an agglomeration of feed ingredients, wherein a thermostable phytase is added before or during the agglomeration.

10 Also provided is a transgenic plant or part thereof which comprises a DNA-construct encoding a thermostable phytase.

The transgenic plant or part thereof, e.g. seeds or leaves, may be used in the feed preparation process of the invention, to thereby provide - in a preferred embodiment - at
15 the same time a nutrient (feed ingredient) and the feed additive phytase.

Brief description of the Figures

In the detailed description of the invention below,
20 reference is made to the drawings, of which

Fig. 1 is a differential scanning calorimetry (DSC) chart of consensus phytase-1 and consensus phytase-10;

Fig. 2 a DSC of consensus phytase-10-thermo-Q50T and consensus phytase-10-thermo-Q50T-K91A;

25 Fig. 3 a DSC of consensus phytase-1-thermo[8]-Q50T and consensus phytase-1-thermo[8]-Q50T-K91A;

Fig. 4 a DSC of the phytase from *A. fumigatus* ATCC 13073 and of its α -mutant; and

Fig. 5 shows the design of the consensus-phytase-1 amino
30 acid sequence;

- Fig. 6 an alignment and the basidiomycete consensus sequence of five Basidiomycete phytases;
- Fig. 7 the design of the consensus-phytase-10 amino acid sequence;
- 5 Fig. 8 an alignment for the design of consensus-phytase-11 (all Basidiomycete phytases were used as independent sequences using an assigned vote weight of 0.2 for each Basidiomycete sequence; still further the amino acid sequence of *A. niger* T213 was used);
- 10 Fig. 9 the DNA and amino acid sequence of consensus-phytase-1-thermo(8)-Q50T-K91A;
- Fig. 10 the DNA and amino acid sequence of Consensus-phytase-10-thermo(3)-Q50T-K91A;
- Fig. 11 the DNA and amino acid sequence of *A. fumigatus* ATCC 13073 α -mutant; and
- 15 Fig. 12 the DNA and amino acid sequence of Consensus-phytase-7 which comprises the following mutations as compared to Consensus-phytase-1: S89D, S92G, A94K, D164S, P201S, G203A, G205S, H212P, G224A, D226T, E255T, D256E, V258T, P265S, Q292H, G300K, Y305H, A314T, S364G, M365I, A397S, S398A, G404A, and A405S.
- 20

Detailed description of the invention

25 In the present context a "feed" or an "animal feed" means any natural or artificial diet, meal or the like intended or suitable for being eaten, taken in, digested, by an animal. Food for human beings is included in the above definition of feed.

"Animals" include all animals, be it polygastric animals
30 (ruminants); or monogastric animals such as human beings,

poultry, swine and fish. Preferred animals are the mono-gastric animals, in particular pigs and broilers.

The concept of "feed ingredients" includes the raw materials from which a feed is to be, or is, produced; or the
5 intended, or actual, component parts of a feed. Feed ingredients for non-human animals are usually, and preferably, selected from amongst the following non-exclusive list:

plant derived products

such as seeds, grains, leaves, roots, tubers, flowers,
10 pods, husks - and they may take the form of flakes, cakes, grits, flour, and the like;

animal derived products

such as fish meal, milk powder, bone extract, meat
extract, blood extract and the like;

15 additives

such as minerals, vitamins, aroma compounds, and feed
enhancing enzymes.

Phytic acid or myo-inositol 1,2,3,4,5,6-hexakis dihydrogen
phosphate (or for short myo-inositol hexakisphosphate) is the
20 primary source of inositol and the primary storage form of phosphate in plant seeds and grains. In the seeds of legumes it accounts for about 70% of the phosphate content. Seeds, cereal grains and legumes are important feed ingredients.

Phytic acid, or its salts phytates - said terms being,
25 unless otherwise indicated, in the present context used synonymously or at random - is an anti-nutritional factor. This is partly due to its binding of nutritionally essential ions such as calcium, trace minerals such as manganese, and also proteins (by electrostatic interaction). And partly due to the
30 fact that the phosphorous thereof is not nutritionally available

either, since phytic acid and its salts, phytates, are often not metabolized.

This leads to a need of supplementing food and feed preparations with e.g. inorganic phosphate.

5 The non-metabolizable phytic acid phosphorous passes through the gastrointestinal tract of such animals and is excreted with the manure, resulting in an undesirable phosphate pollution of the environment resulting e.g. in eutrophication of the water environment and extensive growth of algae.

10 Phytic acid is degradable by phytases. In the present context a "phytase" is a polypeptide or enzyme which exhibits phytase activity, viz. which catalyzes the hydrolysis of phytate (myo-inositol hexakisphosphate) to (1) myo-inositol and/or (2) mono-, di-, tri-, tetra- and/or penta-phosphates thereof and (3)
15 inorganic phosphate.

The production of phytases by plants as well as by microorganisms has been reported. Amongst the microorganisms, phytase producing bacteria as well as phytase producing fungi are known.

20 There are several descriptions of phytase producing filamentous fungi belonging to the fungal phylum of Ascomycota (ascomycetes). In particular, there are several references to phytase producing ascomycetes of the *Aspergillus* genus such as *Aspergillus terreus* (Yamada et al., 1986, Agric. Biol. Chem.
25 322:1275-1282). Also, the cloning and expression of the phytase gene from *Aspergillus niger* var. *awamori* has been described (Piddington et al., 1993, Gene 133:55-62). EP 0420358 describes the cloning and expression of a phytase of *Aspergillus ficuum* (niger). EP 0684313 describes the cloning and expression of
30 phytases of the ascomycetes *Aspergillus niger*, *Myceliophthora thermophila*, *Aspergillus terreus*. Still further, some partial

sequences of phytases of *Aspergillus nidulans*, *Talaromyces thermophilus*, *Aspergillus fumigatus* and another strain of *Aspergillus terreus* are given.

The cloning and expression of a phytase of *Thermomyces*
5 *lanuginosus* is described in WO 97/35017.

WO 98/28409 describes the cloning and expression of several basidiomycete phytases, e.g. from *Peniophora lycii*, *Agrocybe pediades*, *Paxillus involutus* and *Trametes pubescens*.

According to the Enzyme nomenclature database ExpASY (a
10 repository of information relative to the nomenclature of enzymes primarily based on the recommendations of the Nomenclature Committee of the International Union of Biochemistry and Molecular Biology (IUBMB) describing each type of characterized enzyme for which an EC (Enzyme Commission)
15 number has been provided), two different types of phytases are presently known: A so-called 3-phytase (myo-inositol hexaphosphate 3-phosphohydrolase, EC 3.1.3.8) and a so-called 6-phytase (myo-inositol hexaphosphate 6-phosphohydrolase, EC 3.1.3.26). The 3-phytase hydrolyses first the ester bond at a 3-
20 position, whereas the 6-phytase hydrolyzes first an ester bond at the 6-position of phytic acid. Both of these types of phytases are included in the above definition of phytase.

Many assays of phytase activity are known, and any of these can be used for the purpose of the present invention.
25 Preferred phytase assays are included in the examples.

The concept of "agglomeration" is defined as a process in which various components are mixed under the influence of heat. The resulting product is preferably an "agglomerate" or conglomerate in which the components adhere to each other while
30 forming a product of a satisfactory physical stability. The formation of dust from such agglomerate is an indication of its

physical stability - the less dust being formed, the better. A suitable assay for dust formation from agglomerates is ASAE standard S 269-1. A satisfactory agglomerate has below 20%, preferably below 15%, more preferably below 10%, even more
5 preferably below 6% dust.

"Under the influence of heat" means that the temperature is at least 65°C, as measured on the product at the outlet of the agglomeration unit. More preferred temperatures are at least 70, 75, 80, 85, 90, 95, 100, 105, 110, 115, 120, 125, or even at
10 least 130°C.

A preferred agglomeration process is operated at an increased pressure. The pressure is typically due to a compacting of the ingredients, optionally in combination with a reduction of the cross-sectional or throughput area. Preferably,
15 by properly adjusting process parameters such as temperature and pressure, the resulting shear forces and shear velocities are of such magnitude, that the starch- and protein-containing feed ingredients become fluid.

"Increased pressure" means increased as compared to normal
20 atmospheric pressure, and the maximum pressure as measured within the agglomeration unit.

The addition of water vapour or steam is often included in agglomeration, but not as an absolute requirement.

Agglomeration includes, but is not limited to, the well-
25 known processes called extrusion, expansion (or pressure conditioning) and pelleting (or pellet pressing).

Extrusion is i.a. described at pp. 149-153 of a handbook which is available on request from the Danish Company Sprout-Matador, Glentevej 5-7, DK-6705 Esbjerg Ø or Niels Finsensvej 4,
30 DK-7100 Vejle ("Håndbog i Pilleteringsteknik 1996"). However, in the agglomeration process of the invention, the following

process steps mentioned in the above handbook are entirely optional:

- (i) pre-treating the feed ingredients in a cascade mixer;
- (ii) cutting the product leaving the nozzle-section into pieces
- 5 (iii) of a desired size;
- (iv) acclimatizing or conditioning it;
- (v) coating it;
- (vi) drying it;
- (vii) cooling it.

10 The process of expansion (pressure conditioning) is i.a. described in the same handbook at pp. 61-66. Also for expansion, the above process steps (i)-(vi), in particular steps (i) and (vi), are entirely optional steps.

This is so also for the following process steps:

- 15 (ii') comminuting the product (using e.g. a blade granulator as shown at p. 65);
- (vii) pelleting the product (using e.g. a pellet press as shown at p. 62);

The process of pelleting is i.a. described in the same
20 handbook at pp. 71-107. Also here, steps (i)-(vii) above are entirely optional steps. These steps are i.a. described in more detail at pp. 29-70 of the above handbook.

In a preferred agglomeration process of the invention, one or more of the above mentioned further process steps (i)-(vii)
25 are included.

A particularly preferred further step is step (i).

In a most preferred embodiment, the feed-ingredients are pre-heated in a first step (a) to a temperature of at least 45°C, preferably at least 50, 55, 60, 65, 70, 75, 80 °C; and
30 then heated in a second step (b) to a temperature of at least

65°C, preferably 70, 75, 80, 85, 90, 95, 100, 105, 110, 115, 120, 125, or even at least 130°C.

The addition of thermostable phytase takes place before or during step (a) and/or before or during step (b).

5 Water is preferably added in step (a). More preferably, heated steam is added during the mixing of the ingredients (steps (a) and/or (b)).

Process step (a) is preferably performed in a cascade mixer (see the above cited handbook p. 44).

10 A "thermostable" phytase is a phytase which has a T_m (melting temperature) as measured on purified phytase protein by Differential Scanning Calorimetry (DSC) of at least 65°C, preferably using for the DSC a constant heating rate, more preferably of 10°C/min. In preferred embodiments, the T_m is at
15 least 66, 67, 68, 69, 70, 71, 72, 73, 74 or 75°C. Preferably, the T_m is equal to or lower than 150°C; more preferably equal to or lower than 145, 140, 135, 130, 125, 120, 115 or 110°C. Accordingly, preferred intervals of T_m are: 65-150°C, 66-150°C, - (etc.) - 75-150°C; 65-145°C, 66-145°C, - (etc.) - 75-145°C;
20 65-140°C, - (etc.) - 75-140°C; - (etc.) - 65-110°C, 66-110°C, - (etc.) - 75-110°C.

Particularly preferred ranges for T_m are the following: between 65 and 110°C; between 70 and 110°C; between 70 and 100°C; between 75 and 95°C, or between 80 and 90°C.

25 In Example 3 below, the measurement of T_m by DSC is described, and the T_m 's of a number of phytases are shown.

The optimum temperatures are also indicated, since - in the alternative - a thermostable phytase can be defined as a phytase having a temperature-optimum of at least 60°C.
30 Preferably, the optimum temperature is determined on the substrate phytate at pH 5.5, or on the substrate phytic acid at

pH 5.0. Preferred units are FYT, FTU or the units of Example 3. The phytase assay of Example 3 is most preferred.

In preferred embodiments, the optimum temperature is at least 61, 62, 63, 64, 65, 66, 67, 68, 69 or 70°C. Preferably, 5 the optimum temperature is equal to or lower than 140°C, more preferably equal to or lower than 135, 130, 125, 120, 115, 110, 105 or 100°C. Accordingly, preferred intervals of optimum temperature are: 60-140°C, 61-140°C, - (etc.) - 70-140°C; 60-135°C, 61-135°C, - (etc.) - 70-135°C; 60-130°C, - (etc.) - 70-10 130°C; - (etc.) - 60-100°C, 61-100°C, - (etc.) - 70-100°C.

Preferred phytases of the present invention exhibit a degree of similarity or homology, preferably identity, to the complete amino acid sequence of either of the phytases mentioned below under (iii) - preferably to the complete amino acid 15 sequence of Consensus-phytase-10-thermo-Q50T-K91A - of at least 48%, preferably at least 50, 52, 55, 60, 62, 65, 67, 70, 73, 75, 77, 80, 82, 85, 88, 90, 92, 95, 98 or 99%.

The degree of similarity or homology, alternatively identity, can be determined using any alignment programme known 20 in the art. A preferred alignment programme is GAP provided in the GCG version 8 program package (Program Manual for the Wisconsin Package, Version 8, August 1994, Genetics Computer Group, 575 Science Drive, Madison, Wisconsin, USA 53711) (see also Needleman, S.B. and Wunsch, C.D., (1970), Journal of 25 Molecular Biology, 48, 443-453). Using GAP with the following settings for polypeptide sequence comparison: GAP weight of 3.000 and GAP lengthweight of 0.100.

A multiple sequence alignment can be made using the program PileUp (Program Manual for the Wisconsin Package, 30 Version 8, August 1994, Genetics Computer Group, 575 Science

Drive, Madison, Wisconsin, USA 53711), with a GapWeight of 3.000 and a GapLengthWeight of 0.100.

Using the program GAP, some selected phytases exhibit the following percentage similarity (identity in brackets) to the
 5 Consensus-phytase-10-thermo(3)-Q50T-K91A amino acid sequence:

A. fumigatus ATCC-13073 α -mutant	86.7% (81.8%)
Basidiomycet consensus	64.1% (49.0%)
Consensus-phytase-1	98.7% (97.9%)
10 Consensus-phytase-10	96.6% (94.4%)
Consensus-phytase-1-thermo(8)-Q50T-K91A	97.4% (95.5%)
Consensus-phytase-11	96.5% (94.2%)
Consensus-phytase-12	92.5% (89.9%)
Consensus-phytase-7	95.5% (93.4%)

15

A "purified" phytase is essentially free of other non-phytase polypeptides, e.g. at least about 20% pure, preferably at least about 40% pure, more preferably about 60% pure, even more preferably about 80% pure, most preferably about 90% pure,
 20 and even most preferably about 95% pure, as determined by SDS-PAGE.

Preferred thermostable phytases are the so-called consensus phytases of EP 98113176.6 (EP 0897985), viz.

- (i) any thermostable phytase which is obtainable by the
 25 processes described therein;
- (ii) a phytase comprising the amino acid sequence shown in Fig. 2 thereof or any variant or mutein thereof, preferred muteins being those comprising the substitutions Q50L; Q50T; Q50G; Q50T-Y51N or Q50L-Y51N.

30

Other preferred thermostable phytases are

- (iii) a thermostable phytase which comprises at least one of the following amino acid sequence (some of which are shown in Figs. 5-12 herein), preferably the following phytases: Consensus-phytase-1 (or simply Consensus phytase);
- 5 Consensus-phytase-1-thermo(3); Consensus-phytase-1-Q50T; basidiomycete-consensus (or simply Basidio); Consensus-phytase-10 (or Fcp 10); Consensus-phytase-11 (or Consensus Seq. 11); Consensus-phytase-1-thermo(8)-Q50T-K91A; Consensus-phytase-1-thermo(8)-Q50T; Consensus-phytase-1-thermo(8);
- 10 Consensus-phytase-10-thermo(3)-Q50T-K91A; Consensus-phytase-10-thermo(3)-Q50T (sometimes, "(3)" is deleted from this expression); *Aspergillus fumigatus* ATCC 13073 phytase α -mutant; *Aspergillus fumigatus* ATCC 13073 phytase α -mutant plus the mutations E59A, S126N, R329H, S364T, G404A; *Aspergillus fumigatus*
- 15 ATCC 13073 phytase α -mutant plus the mutations E59A, K68A, S126N, R329H, S364T, G404A; Consensus-phytase-7; Consensus-phytase-12.
- (iv) as well as thermostable variants and muteins of the phytases of (iv) and (v), in particular those comprising
- 20 one or more of the following substitutions: Q50L,T,G; Q50L-Y51N; Q50T-Y51N.

The term "plant" is intended to include not only whole

25 plants as such, but also plant parts or organs, such as leaves, seeds or grains, stem, root, tubers, flowers, callus, fruits etc.; tissues, cells, protoplasts etc.; as well as any combinations or sub-combinations thereof. Plant tissue cultures and plant cell lines as well as plant protoplasts are

30 specifically included herein.

The term "transgenic plant" is a plant as defined above, which has been genetically modified, as well as its progeny and propagating material thereof having retained the genetical modification. Preferably, the transgenic plant comprises at least one specific gene introduced into an ancestral plant by recombinant gene technology. The term is not confined to a single plant variety.

The invention relates to a transgenic plant which comprises a DNA-construct encoding a thermostable phytase.

10 In a preferred embodiment the transgenic plant is a plant grouping which is characterized in that it comprises a DNA-construct encoding a thermostable phytase. The members of this plant grouping may very well possess individuality, but are clearly distinguishable from other varieties by their common characteristic feature of the the thermostable phytase DNA-construct.

Accordingly, the present teaching is applicable to more than one plant variety. No naturally occurring plant varieties are included amongst the plants of the invention.

20 In another preferred embodiment the invention relates to a transgenic plant variety or a variant thereof; a transgenic plant species, a transgenic plant genus, a transgenic plant family, and/or a transgenic plant order. More preferably, plant varieties as such are disclaimed.

25 Any thermostable phytase may be used in the present invention, e.g. any wild-type phytases, genetically engineered phytases, consensus phytases, phytase muteins, and/or phytase variants. Genetically engineered phytases include, but are not limited to, phytases prepared by site-directed mutagenesis, gene shuffling, random mutagenesis, etc.

30

The nucleotide sequence encoding a wild-type thermostable phytase may be of any origin, including mammalian, plant and microbial origin and may be isolated from these sources by conventional methods. Preferably, the nucleotide sequence is
5 derived from a microorganism, such as a fungus, e.g. a yeast or a filamentous fungus, or a bacterium. The DNA sequence encoding a thermostable phytase may be isolated from the cell producing it, using various methods well known in the art (see e.g. WO 98/28409 and EP 0897985).

10 The nucleotide sequence encoding a thermostable genetically engineered or consensus phytase, including muteins and variants thereof, may be prepared in any way, e.g. as described in Example 3 hereof and in EP 0897985.

In order to accomplish expression of the thermostable
15 phytase in a plant of the invention the nucleotide sequence encoding the phytase is inserted into an expression construct containing regulatory elements or sequences capable of directing the expression of the nucleotide sequence and, if necessary or desired, to direct secretion of the gene product or targetting
20 of the gene product to the seeds of the plant.

In order for transcription to occur the nucleotide sequence encoding the thermostable phytase is operably linked to a suitable promoter capable of mediating transcription in the plant in question. The promoter may be an inducible promoter or
25 a constitutive promoter. Typically, an inducible promoter mediates transcription in a tissue-specific or growth-stage specific manner, whereas a constitutive promoter provides for sustained transcription in all cell tissues. An example of a suitable constitutive promoter useful for the present invention
30 is the cauliflower mosaic virus 35 S promoter. Transcription initiation sequences from the tumor-inducing plasmid (Ti) of

Agrobacterium such as the octopine synthase, nopaline synthase, or mannopine synthase initiator, are further examples of preferred constitutive promoters.

Examples of suitable inducible promoters include a seed-specific promoter such as the promoter expressing alpha-amylase in wheat seeds (see Stefanov et al, Acta Biologica Hungarica Vol. 42, No. 4 pp. 323-330 (1991), a promoter of the gene encoding a rice seed storage protein such as glutelin, prolamin, globulin or albumin (Wu et al., Plant and Cell Physiology Vol. 39, No. 8 pp. 885-889 (1998)), a Vicia faba promoter from the legumin B4 and the unknown seed protein gene from Vicia faba described by Conrad U. et al, Journal of Plant Physiology Vol. 152, No. 6 pp. 708-711 (1998), the storage protein napA promoter from Brassica napus, or any other seed specific promoter known in the art, eg as described in WO 91/14772.

In order to increase the expression of the thermostable phytase it is desirable that a promoter enhancer element is used. For instance, the promoter enhancer may be an intron which is placed between the promoter and the amylase gene. The intron may be one derived from a monocot or a dicot. For instance, the intron may be the first intron from the rice Waxy (Wx) gene (Li et al., Plant Science Vol. 108, No. 2, pp. 181-190 (1995)), the first intron from the maize Ubil (Ubiquitin) gene (Vain et al., Plant Cell Reports Vol. 15, No. 7 pp. 489-494 (1996)) or the first intron from the Act1 (actin) gene. As an example of a dicot intron the chsA intron (Vain et al. op cit.) is mentioned. Also, a seed specific enhancer may be used for increasing the expression of the thermostable phytase in seeds. An example of a seed specific enhancer is the one derived from the beta-phaseolin gene encoding the major seed storage protein of bean

(*Phaseolus vulgaris*) disclosed by Vandergeest and Hall, Plant Molecular Biology Vol. 32, No. 4, pp. 579-588 (1996).

Also, the expression construct preferably contains a terminator sequence to signal transcription termination of the
5 thermostable phytase gene such as the *rbcS2'* and the *nos3'* terminators.

To facilitate selection of successfully transformed plants, the expression construct should also preferably include one or more selectable markers, e.g. an antibiotic resistance
10 selection marker or a selection marker providing resistance to a herbicide. One widely used selection marker is the neomycin phosphotransferase gene (NPTII) which provides kanamycin resistance. Examples of other suitable markers include a marker
15 reductase, luciferase, and b-glucoronidase (GUS). Phosphinothricin acetyl transferase may be used as a selection marker in combination with the herbicide basta or bialaphos.

The transgenic plant of the invention may be prepared by methods known in the art. The transformation method used will
20 depend on the plant species to be transformed and can be selected from any of the transformation methods known in the art such as *Agrobacterium* mediated transformation (Zambryski et al., EMBO Journal 2, pp 2143-2150, 1993), particle bombardment, electroporation (Fromm et al. 1986, Nature 319, pp 791-793), and
25 virus mediated transformation. For transformation of monocots particle bombardment (ie biolistic transformation) of embryogenic cell lines or cultured embryos are preferred. Below, references are listed, which disclose various methods for transforming various plants: Rice (Cristou et al. 1991,
30 Bio/Technology 9, pp. 957-962), Maize (Gordon-Kamm et al. 1990, Plant Cell 2, pp. 603-618), Oat (Somers et al. 1992,

Bio/Technology 10, pp 1589-1594), Wheat (Vasil et al. 1991, Bio/Technology 10, pp. 667-674, Weeks et al. 1993, Plant Physiology 102, pp. 1077-1084) and Barley (Wan and Lemaux 1994, Plant Physiology 102, pp. 37-48, review Vasil 1994, Plant Mol. Biol. 25, pp 925-937).

More specifically, *Agrobacterium* mediated transformation is conveniently achieved as follows:

A vector system carrying the thermostable phytase is constructed. The vector system may comprise of one vector, but it can comprise of two vectors. In the case of two vectors the vector system is referred to as a binary vector system (Gynheung An et al.(1980), Binary Vectors, Plant Molecular Biology Manual A3, 1-19).

An *Agrobacterium* based plant transformation vector consists of replication origin(s) for both *E.coli* and *Agrobacterium* and a bacterial selection marker. A right and preferably also a left border from the Ti plasmid from *Agrobacterium tumefaciens* or from the Ri plasmid from *Agrobacterium rhizogenes* is necessary for the transformation of the plant. Between the borders the expression construct is placed which contains the thermostable phytase gene and appropriate regulatory sequences such as promoter and terminator sequences. Additionally, a selection gene e.g. the neomycin phosphotransferase type II (NPTII) gene from transposon Tn5 and a reporter gene such as the GUS (beta-glucuronidase) gene is cloned between the borders. A disarmed *Agrobacterium* strain harboring a helper plasmid containing the virulence genes is transformed with the above vector. The transformed *Agrobacterium* strain is then used for plant transformation.

The invention also relates to a method of preparing a transgenic plant capable of expressing a thermostable phytase,

said method comprising the steps of (i) isolating a nucleotide sequence encoding a thermostable phytase; (ii) inserting the nucleotide sequence of (i) in an expression construct capable of mediating the expression of the nucleotide sequence in a selected host plant; and (iii) transforming the selected host plant with the expression construct.

The above method in which "at least one" replaces "a," when used in relation to the thermostable phytase, is also within this invention.

10 This method is an essentially non-biological method.

Any plant may be a selected host plant. More specifically, the plant can be dicotyledonous or monocotyledonous, for short a dicot or a monocot. Of primary interest are such plants which are potential food or feed components. These plants may comprise phytic acid. Examples of monocot plants are grasses, such as meadow grass (blue grass, *Poa*), forage grass such as *festuca*, *lolium*, temperate grass, such as *Agrostis*, and cereals, e.g. wheat, oats, rye, barley, rice, sorghum and maize (corn).

Examples of dicot plants are legumes, such as lupins, pea, bean and soybean, and cruciferous (family *Brassicaceae*), such as cauliflower, oil seed rape and the closely related model organism *Arabidopsis thaliana*.

Of particular interest are monocotyledonous plants, in particular crops or cereal plants such as wheat (*Triticum*, e.g. *aestivum*), barley (*Hordeum*, e.g. *vulgare*), oats, rye, rice, sorghum and corn (*Zea*, e.g. *mays*).

Of further particular interest are dicotyledonous plants, such as those mentioned above.

In a preferred embodiment, the ancestral plant or host plant is per se a desired feed ingredient.

Examples**Example 1****FYT-assay - for analyzing phytase enzyme preparations**

The phytase activity can be measured using the following assay:
5 10 µl diluted enzyme samples (diluted in 0.1 M sodium acetate, 0.01 % Tween20, pH 5.5) are added into 250 µl 5 mM sodium phytate (Sigma) in 0.1 M sodium acetate, 0.01 % Tween20, pH 5.5 (pH adjusted after dissolving the sodium phytate; the substrate is preheated) and incubated for 30 minutes at 37°C. The reaction
10 is stopped by adding 250 µl 10 % TCA and free phosphate is measured by adding 500 µl 7.3 g FeSO₄ in 100 ml molybdate reagent (2.5 g (NH₄)₆Mo₇O₂₄·4H₂O in 8 ml H₂SO₄ diluted to 250 ml). The absorbance at 750 nm is measured on 200 µl samples in 96 well microtiter plates. Substrate and enzyme blanks are
15 included. A phosphate standard curve is also included (0-2 mM phosphate). 1 FYT equals the amount of enzyme that releases 1 µmol phosphate/min at the given conditions. This assay is preferred for phytase enzyme preparations (when not in admixture with other feed ingredients).

20

Example 2**FTU assay - for analyzing phytase in admixture with feed ingredients**

One FTU is defined as the amount of enzym, which at stan-
25 dard conditions (37°C, pH 5,5; reaction time 60 minutes and start concentration of phytic acid 5 mM) releases phosphate equivalent to 1 µmol phosphate per minute.

$$1 \text{ FTU} = 1 \text{ FYT}$$

The FTU assay is preferred for phytase activity measure-
30 ments on animal feed premixes and the like complex compositions.

Reagents /substratesExtraction buffer for feed etc.

This buffer is also used for preparation of PO_4 -standards and further dilution of premix samples.

5 0,22 M acetate buffer with Tween 20 pH 5,5

30 g sodium acetate trihydrate (MW = 136,08 g/mol) e.g. Merck Art 46267 per liter and 0,1 g Tween 20 e.g. Merck Art 22184 pr. liter are weighed out.

The sodium acetate is dissolved in demineralised water.

10 Tween 20 is added, and pH adjusted to $5,50 \pm 0,05$ with acetic acid.

Add demineralised water to total volume.

Extraction buffer for premix

0,22 M acetate buffer with Tween 20, EDTA, PO_4^{3-} og BSA.

15 30 g sodium acetate trihydrate e.g. Merck Art 6267 per liter.

0,1 g Tween 20 e.g. Merck Art 22184 per liter.

30 g EDTA f.eks. Merck Art 8418 pr. liter.

20 g $\text{Na}_2\text{HPO}_4 \cdot 2\text{H}_2\text{O}$ e.g. Merck Art 6580 per liter.

20 0,5 g BSA (Bovine Serum Albumine, e.g. Sigma Art A-9647 per liter.

The ingredients are dissolved in demineralised water, and pH is adjusted to $5,50 \pm 0,05$ with acetic acid.

Add demineralised water to total volume.

25 BSA is not stable, and must therefore be added the same day the buffer is used.

50 mM PO₄³⁻ stock solution

0,681 g KH₂PO₄ (MW = 136,09 g/mol) e.g. Merck Art 4873 is weighed out and dissolved in 100 ml 0,22 M sodium acetat with Tween, pH 5,5.

5 Storage stability: 1 week in refrigerator.

0,22 M acetate buffer pH 5,5 without Tween

This buffer is used for production of phytic acid substrate).

150 g sodium acetate trihydrate (MW = 136,08) e.g. Merck Art 6267 is weighed out and dissolved in demineralised water, and pH is adjusted with acetic acid to 5,50 ± 0,05.

Add demineralised water to 5000 ml.

Storage stability: 1 week at room temperature.

Phytic acid substrate: 5 mM phytic acid

15 The volume of phytic acid is calculated with allowance for the water content of the used batch.

If the water content is e.g. 8,4 % the following is obtained:

$$20 \quad \frac{0,005 \text{ mol} / l \times 923,8 \text{ g} / \text{mol}}{(1 + 0,084)} = 5,04 \text{ g} / l$$

Phytic acid (Na-salt) (MW = 923,8 g/mol) e.g. Sigma P-8810 is weighed out and dissolved in 0,22 M acetate buffer (without tween). Addition of (diluted) acetic acid increases the dissolution speed.

25 pH is adjusted to 5,50 ± 0,05 with acetic acid.

Add 0,22 M acetate buffer to total volume.

21,7 % nitric acid solution

For stop solution.

1 part concentrated (65%) nitric acid is mixed into 2 parts demineralised water.

Molybdate reagent

5 For stop solution.

100 g ammonium heptamolybdate tetrahydrate $(\text{NH}_4)_6\text{Mo}_7\text{O}_{24} \cdot 4\text{H}_2\text{O}$ e.g. Merck Art 1182 is dissolved in demineralised water. 10 ml 25 % NH_3 is added.

Add demineralised water to 1 liter.

10 0.24 % Ammonium vanadate

Bought from fra Bie & Berntsen.

Molybdat/vanadat stop solution

1 part vanadate solution (0,24 % ammonium vanadate) + 1 part molybdate solution are mixed. 2 parts 21,7 % nitric acid
15 solution are added.

The solution is prepared not more than 2 hours before use, and the bottle is wrapped in tinfoil.

Samples

Frozen samples are defrosted in a refrigerator overnight.

20 Sample size for feed samples: At least 70 g, preferably 100 g.

Feed samples

Choose a solution volume which allows addition of buffer corresponding to 10 times the sample weight, e.g. 100 g is dissolved in 1000 ml 0,22 M acetate buffer with Tween, see enclosure 1. Round up to nearest solution volume.
25

If the sample size is approx. 100 g all the sample is ground in a coffee grinder and subsequently placed in tared

beakers. The sample weight is noted. It is not necessary to grind not-pelleted samples. If a sample is too big to handle, it is sample split into parts of approx. 100 g.

Magnets are placed in the beakers and 0,22 M acetate
5 buffer with Tween is added.

The samples are extracted for 90 minutes.

After extraction the samples rest for 30 minuts to allow for the feed to sediment. A 5 ml sample is withdrawn with a pipette. The sample is taken 2 - 5 cm under the surface of the so-
10 lution and placed in a centrifuge glass, which is covered by a lid.

The samples are centrifuged for 10 minutes at 4000 rpm.

Premix samples

Choose a solution volume which allows addition of buffer
15 corresponding to 10 times the sample weight. Round up to nearest solution volume.

If the samples have been weighed (50 - 100 g) all of the sample is placed in tared beakers. The sample weight is noted. If a sample is too big to handle, it is split into parts of ap-
20 prox. 100 g.

Magnets are placed in the beakers and 0,22 M acetate buffer with Tween, EDTA og PO_4^{3-} is added.

The samples are extracted for 60 minutes.

After extraction the samples rest for 30 minutes to allow
25 for the premix to sediment. A 5 ml sample is withdrawn with a pipette. The sample is taken 2 - 5 cm under the surface of the solution and placed in a centrifuge glass, which is covered by a lid.

The samples are centrifuged for 10 minutes at 4000 rpm.

Analysis

Extracts of feed samples are analysed directly.

Extracts of premix are diluted to approx. 1,5 FTU/g (A_{415}
5 (main sample) < 1,0).

0,22 M acetate buffer with Tween 20 is used for the dilution.

Main Samples

2 x 100 ml of the supernatant from the extracted and cen-
10 trifuged samples are placed in marked glass test tubes and a magnet is placed in each tube.

When all samples are ready they are placed on a water bath with stirring. Temperature: 37 °C.

3,0 ml substrate is added.

15 Incubation for exactly 60 minutes after addition of substrate.

The samples are taken off the water bath and 2,0 ml stop solution is added (exactly 60 minutes after addition of substrate).

20 The samples are stirred for 1 minute or longer.

Feed samples are centrifuged for 10 minutes at 4000 rpm (It is not necessary to centrifuge premix samples).

Blind samples

100 ml of the supernatant from the extracted and centri-
25 futed samples are placed in marked glass test tubes, and a magnet is placed in each tube.

2,0 ml stop solution is added to the samples.

3,0 ml substrate is added to the samples.

The samples are incubated for 60 minutes at room temperature.

The feed samples are centrifuged for 10 minutes at 4000 rpm (it is not necessary to centrifuge premix samples).

Standards

2 x 100 ml are taken from each of the 8 standards and also 4 x 100 ml 0,22 M acetate buffer (reagent blind).

A_{415} is measured on all samples.

10 CALCULATION

$$\text{FTU/g} = \mu\text{mol PO}_4^{3-} / (\text{min} * \text{g (sample)})$$

C g sample is weighed out (after grinding).

15 100 μl is taken from the extracted and centrifuged sample.

PO_4^{3-} standard curve is linear.

From the regression curve for the PO_4^{3-} standard the actual concentration of the sample is found (concentration in mM):

$$[\text{PO}_4^{3-}] = (x - b) / a \quad x = A_{415} \quad a = \text{slope} \quad b = \text{intercept with y-axis}$$

$$25 \mu\text{mol PO}_4^{3-}/\text{min} = \{ [\text{PO}_4^{3-}] (\text{mM}) \times \text{Vol (liter)} \times 1000 \mu\text{mol/mmol} \} / t$$

t = incubation time in minutes.

Vol = sample volume in liter = 0,0001 liter

1000 = conversion factor from mmol to μmol

$$FTU / g_{\text{preve}} = \{ (x - b) \times \text{Vol} \times 1000 \times F_p \} / \{ a \times t \times C \}$$

C = gram sample weighed out

5 F_p = Relation between the sample taken out and the total sample (after extraction). Example: 0,100 ml taken from 1000 ml $\rightarrow F_p = 1000/0,100 = 10000$.

Reduced expression with insertion of the following values:

10 $t = 60$

$\text{Vol} = 0,0001 \text{ l}$

$F_p = 10000$

$$FTU / g_{\text{sample}} = \{ (x - b) \times 0,0001 \times 1000 \times 10000 \} / \{ a \times 60 \times C \}$$

15 Example 3

Determination of optimum temperature and melting point T_m of various phytases

The thermostability of various phytases has been determined, viz. the melting temperature, T_m , and/or the optimum
20 temperature.

The phytase of *Aspergillus niger* NRRL 3135 was prepared as described in EP 0420358 and van Hartingsveldt et al (Gene, 127, 87-94, 1993).

The phytases of *Aspergillus fumigatus* ATCC 13073,
25 *Aspergillus terreus* 9A-1, *Aspergillus terreus* CBS 116.46, *Aspergillus nidulans*, *Myceliophthora thermophila*, and *Talaromyces thermophilus* were prepared as described in EP-0897985 and the references therein.

Consensus-phytase-1 (Fig. 5) and Consensus-phytase-1-Q50T
30 are shown in and were prepared as described in EP 0897985.

Consensus-phytase-10 was derived and prepared according to the teachings of EP-0897985 (Examples 1-2 and 3-7, respectively), however adding to the alignment at Fig. 1 thereof the phytase sequence of *Thermomyces lanuginosa* (Berka et al, 5 Appl. Environ. Microbiol. 64, 4423-4427, 1998) and a basidiomycete consensus sequence (derivation described below), omitting the sequence of *A.niger* T213, and assigning a vote weight of 0.5 for the remaining *A.niger* phytase sequences. The derivation of the sequence of Consensus-phytase-10 is shown in 10 Fig. 7.

The basidiomycete consensus sequence was also derived according to the principles of EP-0897985, viz. from the five basidiomycete phytases of WO 98/28409, starting with the first amino acid residue of the mature phytases (excluding signal 15 peptide). A vote weight of 0.5 was assigned to the two *Paxillus* phytases, all other genes were used with a vote weight of 1.0 - see Fig. 6.

The muteins Consensus-phytase-10-thermo, Consensus-phytase-10-thermo-Q50T-K91A (Fig. 10) and Consensus-phytase-10-thermo-Q50T were prepared from consensus-phytase-10, in analogy 20 to Examples 5-8 of EP-0897985, by introducing the three back-mutations K94A, V158I and A396S ("thermo(3)" or "thermo") and, where applicable, also the mutations Q50T or Q50T-K91A.

The muteins Consensus-phytase-1-thermo(8), Consensus-phytase-1-thermo(8)-Q50T-K91A (Fig. 9) and Consensus-phytase-1-thermo(8)-Q50T, were prepared from consensus-phytase-1, in analogy to Example 8 of EP-0897985, by introducing the eight mutations E58A, D197N, E267D, R291I, R329H, S364T, A379K and G404A ("thermo(8)") and, where applicable, also the mutations 30 Q50T or Q50T-K91A.

Consensus-phytase-1-thermo(3) was prepared from consensus-phytase-1 by introduction of the three mutations K94A, V158I and A396S.

An *Aspergillus fumigatus* so-called α -mutant (with the 5 mutations Q51(27)T, F55Y, V100I, F114Y, A243L, S265P, N294D) and the further muteins thereof shown in Table 1 were prepared as generally described above. The position numbering refers to Fig. 11 hereof, except for the number in parentheses which refers to the numbering used in EP 0897010.

10 DNA constructs encoding the above thermostable phytases can be prepared e.g. according to the teachings of EP 0897985. For expression thereof in plants, reference is made to the present description.

In order to determine the unfolding temperature or melting 15 temperature, T_m , of a phytase, differential scanning calorimetry was applied as previously published by Brugger et al (1997): "Thermal denaturation of phytases and pH 2.5 acid phosphatase studied by differential scanning calorimetry," in The Biochemistry of phytate and phytase (eds. Rasmussen, S.K; Raboy, 20 V.; Dalbøge, H. and Loewus, F.; Kluwer Academic Publishers).

Homogenous or purified phytase solutions of 50-60 mg/ml of protein are prepared, and extensively dialyzed against 10 mM sodium acetate, pH 5.0. A constant heating rate of 10°C/min is applied up to 90-95°C.

25 The results of T_m determinations on the above phytases are shown in Table 1 below; for selected phytases also in Figs. 1-4.

In Table 1 below, the optimum temperature of various phytases is also indicated. For this determination, phytase activity was determined basically as described by Mitchell et al 30 (Microbiology 143, 245-252, 1997): The activity was measured in an assay mixture containing 0.5% phytic acid (~ 5 mM) in 200 mM

sodium acetate, pH 5.0. After 15 min of incubation at 37°C, the reaction was stopped by addition of an equal volume of 15% trichloroacetic acid. The liberated phosphate was quantified by mixing 100 µl of the assay mixture with 900µl H₂O and 1 ml of 0.6 M H₂SO₄, 2% ascorbic acid and 0.5% ammonium molybdate. Standard solutions of potassium phosphate were used as reference. One unit of enzyme activity was defined as the amount of enzyme that releases 1 µmol phosphate per minute at 37°C. The protein concentration was determined using the enzyme extinction coefficient at 280 nm calculated according to Pace et al (Prot.Sci. 4, 2411-2423, 1995): Consensus phytase, 1.101; consensus phytase 7, 1.068; consensus phytase 10, 1.039.

For determination of the temperature optimum, enzyme (100µl) and substrate solution (100µl) were pre-incubated for 5 min at the given temperature. The reaction was started by addition of the substrate solution to the enzyme. After 15 min incubation, the reaction was stopped with trichloroacetic acid and the amount of phosphate released was determined. Phytase-activity-versus-temperature is plotted, and the temperature optimum is determined as that temperature at which the activity reaches its maximum value.

Table 1

Temperature optimum and T_m for various phytases

Phytase	Optimum temperature (°C)	T _m (°C)
Aspergillus niger NRRL 3135	55	63.3
Aspergillus fumigatus ATCC 13073	55	62.5

30

Aspergillus terreus 9A-1	49	57.5
Aspergillus terreus CBS 116.46	45	58.5
Aspergillus nidulans	45	55.7
Myceliophthora thermophila	55	-
Talaromyces thermophilus	45	-
Consensus-phytase- 10-thermo-Q50T-K91A	82	89.3
Consensus-phytase- 10-thermo-Q50T	82	88.6
Consensus-phytase-10	80	85.4
Consensus-phytase-1- thermo(8)-Q50T-K91A	-	85.7
Consensus-phytase-1- thermo(8)-Q50T	78	84.7
Consensus-phytase-1- thermo(8)	81	-
Consensus-phytase-1- thermo(8)-Q50T-K91A	78	84.7
Consensus-phytase-1- thermo(3)	75	-
Consensus-phytase-1- Q50T	-	78.9
Consensus-phytase-1	71	78.1
Aspergillus fumigatus α -mutant, plus mutations E59A,	63	-

31

S126N, R329H, S364T, G404A		
Aspergillus fumigatus - as above, plus mutation K68A	63	-
Aspergillus fumigatus α -mutant (Q51(27)T, F55Y, V100I, F114Y, A243L, S265P, N294D)	60	67.0

CLAIMS

1. A process of preparing an animal feed, which process comprises an agglomeration of feed ingredients, wherein a thermostable phytase is added before or during the
5 agglomeration.
2. The process of claim 1, wherein the feed ingredients are heated to a temperature of at least 65°C.
- 10 3. The process of any of claims 1-2, wherein the thermostable phytase is a phytase with a T_m as measured by DSC of at least 65°C, using for the DSC a constant heating rate of 10°C/min.
4. The process of any of claims 1-3, when performed in a feed
15 expander.
5. The process of any of claims 1-3, when performed in an extruder.
- 20 6. The process of any of claims 1-3, when performed in a pellet press.
7. The process of any of claims 1-6, wherein the thermostable phytase is present in a transgenic plant.
- 25 8. The process of any of claims 1-7, wherein the agglomeration includes the following steps:
 - (a) pre-heating the feed ingredients to a temperature of at least 45°C; and
 - 30 (b) heating the product of step (a) to a temperature of at least 65°C;

wherein the thermostable phytase is added prior to or during step (a) and/or (b).

9. A transgenic plant which comprises a DNA-construct
5 encoding a thermostable phytase.

10. The transgenic plant of claim 9, wherein the DNA-construct encoding the thermostable phytase is operably linked to regulatory sequences capable of mediating expression of said
10 phytase encoding sequence in at least one part of the plant.

11. An expression construct which comprises a DNA construct encoding a thermostable phytase, operably linked to regulatory sequences capable of mediating expression of said phytase
15 encoding sequence in at least one part of a plant.

12. A vector which comprises the expression construct of claim 11.

20 13. A method of preparing a transgenic plant capable of expressing a thermostable phytase, said method comprising the steps of
(i) isolating a nucleotide sequence encoding a thermostable phytase;
25 (ii) inserting the nucleotide sequence of (i) in an expression construct capable of mediating the expression of the nucleotide sequence in a selected host plant; and
(iii) transforming the selected host plant with the expression construct.

14. The method of claim 13, which comprises the further step of extracting the phytase from the plant.

1/32




Fig. 1

2/32





Fig. 2

3/32




Fig. 3

4/32




Fig. 4

5/32

1	
50	
A. terreus 9A-1	KhsDCNSVDh GYQCFPELSH kWGLYAPYFS LQDESPPFPID VPEDChITFV
A. terreus cbs	NhsDCTSVDr GYQCFPELSH kWGLYAPYFS LQDESPPFPID VPDDChITFV
A. niger var. awamori	NqsTCDTVDQ GYQCFSETSH LWGQYAPFFS LANESAISPD VPAGCrVTFA
A. niger T213	NqsSCDTVDQ GYQCFSETSH LWGQYAPFFS LANESVISPD VPAGCrVTFA
A. niger NRRL3135	NqsSCDTVDQ GYQCFSETSH LWGQYAPFFS LANESVISPE VPAGCrVTFA
A. fumigatus 13073	GskSCDTVD1 GYQCaPATSH LWGQYSPFFS LEDELsvSSK LPKDCrITLV
A. fumigatus 32722	GskSCDTVD1 GYQCaPATSH LWGQYSPFFS LEDELsvSSK LPKDCrITLV
A. fumigatus 58128	GskSCDTVD1 GYQCaPATSH LWGQYSPFFS LEDELsvSSK LPKDCrITLV
A. fumigatus 26906	GskSCDTVD1 GYQCaPATSH LWGQYSPFFS LEDELsvSSK LPKDCrITLV
A. fumigatus 32239	GskACDTVE1 GYQCaPGTSH LWGQYSPFFS LEDELsvSSD LPKDCrVTFV
E. nidulans	QNHSCNTADG GYQCFPNVSH VWGQYSPYFS IEQESAISeD VPHGCeVTFV
T. thermophilus	DSHSCNTVEG GYQCrPEISH sWGQYSPFFS LADQSEISPD VPQNCKITFV
M. thermophila	ESRPCDTpD1 GFQCgTAISH FWGQYSPYFS VpSElDas.. IPDDCeVTFA
Consensus	NSHSCDTVDG GYQCFPEISH LWGQYSPYFS LEDESAISPD VPDDC-VTFV
Consensus phytase	NSHSCDTVDG GYQCFPEISH LWGQYSPYFS LEDESAISPD VPDDCrVTFV
51	
100	
A. terreus 9A-1	QVLARHGArS PThSKtKAYA AtIAAIQKSA TaPpGKYAFL QSYNYSLDSE
A. terreus cbs	QVLARHGArS PTDSKtKAYA AtIAAIQKNA TaLpGKYAFL KSYNYSMGSE
A. niger var. awamori	QVLSRHGARY PTESKsKkYS ALIEEIQQNV TtFDGKYAFL KTYNYSLGAD
A. niger T213	QVLSRHGARY PTESKsKkYS ALIEEIQQNV TtFDGKYAFL KTYNYSLGAD
A. niger NRRL3135	QVLSRHGARY PTDSKsKkYS ALIEEIQQNA TtFDGKYAFL KTYNYSLGAD
A. fumigatus 13073	QVLSRHGARY PTSSKsKkYK kLVTAIQaNA TdFKGKFAFL KTYNYTLGAD
A. fumigatus 32722	QVLSRHGARY PTSSKsKkYK kLVTAIQaNA TdFKGKFAFL KTYNYTLGAD
A. fumigatus 58128	QVLSRHGARY PTSSKsKkYK kLVTAIQaNA TdFKGKFAFL KTYNYTLGAD
A. fumigatus 26906	QVLSRHGARY PTSSKsKkYK kLVTAIQaNA TdFKGKFAFL KTYNYTLGAD
A. fumigatus 32239	QVLSRHGARY PTASKsKkYK kLVTAIQKNA TeFKGKFAFL ETYNYTLGAD
E. nidulans	QVLSRHGARY PTESKsKAYS GLIEAIQKNA TsFwGQYAFI ESYNyTLGAD
T. thermophilus	QLLSRHGARY PTSSKtElys QLIStIQKTA TaYKGyYAFI KDYrYqLGAN
M. thermophila	QVLSRHGARA PTLKraaSYv DLIDrIHhGA IsYgPgYEFL RTYDYTLGAD
Consensus	QVLSRHGARY PTSSK-KAYS ALIEAIQKNA T-FKGKYAFL KTYNYTLGAD
Consensus phytase	QVLSRHGARY PTSSKSKAYS ALIEAIQKNA TAFKGKYAFL KTYNYTLGAD
101	
150	
A. terreus 9A-1	ELTPFGrNQL rDlGaQFYeR YNALTrhInP FVRATDASRV hESAeKFVEG
A. terreus cbs	NLTpFGrNQL qDlGaQFYrR YDTLTrhInP FVRAADSSRV hESAeKFVEG
A. niger var. awamori	DLTPFGEQEL VNSGIKfYQR YESLTrNIIP FIRSSGSSRV IASGEKFIEG
A. niger T213	DLTPFGEQEL VNSGIKfYQR YESLTrNIIP FIRSSGSSRV IASGEKFIEG
A. niger NRRL3135	DLTPFGEQEL VNSGIKfYQR YESLTrNIVP FIRSSGSSRV IASGKKFIEG
A. fumigatus 13073	DLTPFGEQQL VNSGIKfYQR YKALARSVVP FIRASGSDRV IASGEKFIEG
A. fumigatus 32722	DLTPFGEQQL VNSGIKfYQR YKALARSVVP FIRASGSDRV IASGEKFIEG
A. fumigatus 58128	DLTPFGEQQL VNSGIKfYQR YKALARSVVP FIRASGSDRV IASGEKFIEG
A. fumigatus 26906	DLTAFGEQQL VNSGIKfYQR YKALARSVVP FIRASGSDRV IASGEKFIEG
A. fumigatus 32239	DLTPFGEQQM VNSGIKfYQK YKALagSVVP FIRSSGSDRV IASGEKFIEG
E. nidulans	DLTIfGENQM VDSGaKfYRR YKNLARKnTP FIRASGSDRV VASAEKFIEG
T. thermophilus	DLTPFGENQM IQLGIKfYnH YKSLARNAVP FVRCSGSDRV IASGrIFIEG
M. thermophila	ELTrtGQQQM VNSGIKfYRR YRALARKsIP FVRTAGqDRV VhSAENFTQG
Consensus	DLTPFGENQM VNSGIKfYRR YKALARK-VP FVRASGSDRV IASAEKFIEG
Consensus phytase	DLTPFGENQM VNSGIKfYRR YKALARKIVP FIRASGSDRV IASAEKFIEG

Fig. 5A

6/32

151

200
A. terreus 9A-1 FQTARqDDHh ANpHQPSPrV DVaIPEGSAY NNTLEHSICT AFES...STV
A. terreus cbs FQNARqGDPH ANpHQPSPrV DVVIEGTAY NNTLEHSICT AFEA...STV
A. niger var. *awamori* FQSTKLkDPr AqpGQSSPKI DVVIEASSs NNTLDPGTCT VFED...SEL
A. niger T213 FQSTKLkDPr AqpGQSSPKI DVVIEASSs NNTLDPGTCT VFED...SEL
A. niger NRRL3135 FQSTKLkDPr AqpGQSSPKI DVVIEASSs NNTLDPGTCT VFED...SEL
A. fumigatus 13073 FQqAKLADPG A.TNRAAPAI SVIIPSETF NNTLDHGVCT KFEA...SQL
A. fumigatus 32722 FQqAKLADPG A.TNRAAPAI SVIIPSETF NNTLDHGVCT KFEA...SQL
A. fumigatus 58128 FQqAKLADPG A.TNRAAPAI SVIIPSETF NNTLDHGVCT KFEA...SQL
A. fumigatus 26906 FQqAKLADPG A.TNRAAPAI SVIIPSETF NNTLDHGVCT KFEA...SQL
A. fumigatus 32239 FQqANVADPG A.TNRAAPVI SVIIPSETF NNTLDHGVCT NFEA...SEL
E. nidulans FRKAQLhDHG S..gQATPVV NVIIeEGPSY NNTLDHSTCV SFEN...Der
T. thermophilus FQSAKVLDPH SDKHDAPPTI NVIIeEGPSY NNTLDtGSCP VFED...SSg
M. thermophila FHSALLADRG STvRPTlPyd mVVIPEtAGa NNTLHNDlCT AFEEgpySTI

Consensus FQSAKVLADPG S-PHQASpVI NVIIPEGSY NNTLDHGTCT AFED---SEL
Consensus phytase FQSAKVLADPG SQPHQASpVI DVIIPEGSY NNTLDHGTCT AFED...SEL

201

250
A. terreus 9A-1 GDDAVANFTA VFAPAiaQRL EADLPGVqLS TDDVVnLMAM CPFETVS1TD
A. terreus cbs GDAAADNFTA VFAPAiaQRL EADLPGVqLS ADDVVnLMAM CPFETVS1TD
A. niger var. *awamori* ADTVEANFTA TFAPSIRQRL ENDLSCVTLT DTEVTyLMDM CSFDTTistST
A. niger T213 ADTVEANFTA TFAPSIRQRL ENDLSCVTLT DTEVTyLMDM CSFDTTistST
A. niger NRRL3135 ADTVEANFTA TFVPSIRQRL ENDLSCVTLT DTEVTyLMDM CSFDTTistST
A. fumigatus 13073 GDEVAANFTA lFAPDIRARA EKHLPGVTLT DEDVVsLMDM CSFDTVARTS
A. fumigatus 32722 GDEVAANFTA lFAPDIRARA EKHLPGVTLT DEDVVsLMDM CSFDTVARTS
A. fumigatus 58128 GDEVAANFTA lFAPDIRARA EKHLPGVTLT DEDVVsLMDM CSFDTVARTS
A. fumigatus 26906 GDEVAANFTA lFAPDIRARA KkHLPGVTLT DEDVVsLMDM CSFDTVARTS
A. fumigatus 32239 GDEVEANFTA lFAPAIRARI EKHLPGVqLT DDDVVsLMDM CSFDTVARTS
E. nidulans ADEiEANFTA IMGPPiRKRL ENDLPGIKLT NENViyLMDM CSFDTMARTA
T. thermophilus GHDAQEKFAK qFAPAileKI KDHLPGVDLA vSDVpyLMDL CPFETLARNh
M. thermophila GDDAQDTyLS TFAGPiARV NANLPGANLT DADTVaLMDL CPFETVaSSS

Consensus GDDAEANFTA TFAPAIRARL EADLPGVTLT DEDVV-LMDM CPFETVARTS
Consensus phytase GDDVEANFTA lFAPAIRARL EADLPGVTLT DEDVVyLMDM CPFETVARTS

251

300
A. terreus 9A-1 DAhtLSPFC DLFTaEwtq YNYLlSLDKY YGYGGGNPLG
A. terreus cbs DAhtLSPFC DLFTaEwtq YNYLlSLDKY YGYGGGNPLG
A. niger var. *awamori* vDTKLSPFC DLFTHdEWih YDYLQSLkKY YGHGAGNPLG
A. niger T213 vDTKLSPFC DLFTHdEWih YDYLQSLkKY YGHGAGNPLG
A. niger NRRL3135 vDTKLSPFC DLFTHdEWih YDYLQSLkKY YGHGAGNPLG
A. fumigatus 13073 DASQLSPFC QLFTHnEWkk YNYLQSLGKY YGYGAGNPLG
A. fumigatus 32722 DASQLSPFC QLFTHnEWkk YNYLQSLGKY YGYGAGNPLG
A. fumigatus 58128 DASQLSPFC QLFTHnEWkk YNYLQSLGKY YGYGAGNPLG
A. fumigatus 26906 DASQLSPFC QLFTHnEWkk YNYLQSLGKY YGYGAGNPLG
A. fumigatus 32239 DASELSPFC AIFTHnEWkk YDYLQSLGKY YGYGAGNPLG
E. nidulans HGTELSPPFC AIFTEKEWlq YDYLQSLSKY YGYGAGSPLG
T. thermophilus TDT.LSPFC ALsTQeEWqa YDYYQSLGKY YGnGGGNPLG
M. thermophila sdpataadagg gNGxPLSPFC xLFSEsEWra YDYLQSVGKW YGYGPGNPLG

Consensus ----- DATELSPFC ALFTE-EW-- YDYLQSLGKY YGYGAGNPLG
Consensus phytase DATELSPFC ALPTHDEWRQ YDYLQSLGKY YGYGAGNPLG

Fig. 5B

7/32

301

350
A. terreus 9A-1 PVQGVGWaNE LMARLTRAPV HDHTCVNNTL DASPATFPLN ATLYADFSHD
A. terreus cbs PVQGVGWaNE LIARLTRSPV HDHTCVNNTL DANPATFPLN ATLYADFSHD
A. niger var. *awamori* PTQGVGYaNE LIARLTHSPV HDTTSSNHTL DSNPATFPLN STLYADFSHD
A. niger T213 PTQGVGYaNE LIARLTHSPV HDTTSSNHTL DSNPATFPLN STLYADFSHD
A. niger NRRL3135 PTQGVGYaNE LIARLTHSPV HDTTSSNHTL DSSPATFPLN STLYADFSHD
A. fumigatus 13073 PAQGIGFTNE LIARLTRSPV QDHTSTNtL VSNPATFPLN ATMYVDFSHD
A. fumigatus 32722 PAQGIGFTNE LIARLTRSPV QDHTSTNtL VSNPATFPLN ATMYVDFSHD
A. fumigatus 58128 PAQGIGFTNE LIARLTRSPV QDHTSTNtL VSNPATFPLN ATMYVDFSHD
A. fumigatus 26906 PAQGIGFTNE LIARLTRSPV QDHTSTNtL VSNPATFPLN ATMYVDFSHD
A. fumigatus 32239 PAQGIGFTNE LIARLTNSPV QDHTSTNtL DSDPATFPLN ATYVDFSHD
E. nidulans PAQGIGFTNE LIARLTQSPV QDNTSTNHTL DSNPATFPLD rKLYADFSHD
T. thermophilus PAQGVGFvNE LIARMTSPV QDYTTVNHTL DSNPATFPLN ATLYADFSHD
M. thermophila PTQGVGFvNE LLARLAGvPV RDgTSTNRTL DGDPrTFPLG rPLYADFSHD

Consensus PAQGVGF-NE LIARLTHSPV QDHTSTNHTL DSNPATFPLN ATLYADFSHD
Consensus phytase PAQGVGFANE LIARLTRSPV QDHTSTNHTL DSNPATFPLN ATLYADFSHD

351

400
A. terreus 9A-1 SNLVSIFWAL GLYNGTAPLS qTSVESVSQT DGYAAAWTVP FAARAYVEMM
A. terreus cbs SNLVSIFWAL GLYNGTkPLS qTTVEDITrT DGYAAAWTVP FAARAYIEMM
A. niger var. *awamori* NGIISILFAL GLYNGTkPLS TTTVENITQT DGFSSAWTVP FASRLYVEMM
A. niger T213 NGIISILFAL GLYNGTkPLS TTTVENITQT DGFSSAWTVP FASRLYVEMM
A. niger NRRL3135 NGIISILFAL GLYNGTkPLS TTTVENITQT DGFSSAWTVP FASRLYVEMM
A. fumigatus 13073 NSMVSIFFAL GLYNGTEPLS rTSVESaKEl DGYASAWVVP FGARAYFETM
A. fumigatus 32722 NSMVSIFFAL GLYNGTGPLS rTSVESaKEl DGYASAWVVP FGARAYFETM
A. fumigatus 58128 NSMVSIFFAL GLYNGTEPLS rTSVESaKEl DGYASAWVVP FGARAYFETM
A. fumigatus 26906 NSMVSIFFAL GLYNGTEPLS rTSVESaKEl DGYASAWVVP FGARAYFETM
A. fumigatus 32239 NGMIPIFFAM GLYNGTEPLS qTSeESTKES NGYASAWVVP FGARAYFETM
E. nidulans NSMISIFFAM GLYNGTQPLS mDSVESIQEm DGYAASWTVP FGARAYFELM
T. thermophilus NTMTSIFaAL GLYNGTAKLS TTEIKSIEET DGYSAAWTVP FGGRAYIEMM
M. thermophila NDMMGVLgAL GaYDGVPPLD KTArrDpEEL GGYAASWAVP FAARIYVEKM

Consensus NSMISIFFAL GLYNGTAPLS TTSVESIEET DGYAASWTVP FGARAYVEMM
Consensus phytase NSMISIFFAL GLYNGTAPLS TTSVESIEET DGYASAWTVP FGARAYVEMM

401

450
A. terreus 9A-1 QC.....RAEKE PLVRVLVNDR VMPLHGCPD KLGRCKrDAF
A. terreus cbs QC.....RAEQ PLVRVLVNDR VMPLHGCAVD NLGRCKrDDF
A. niger var. *awamori* QC.....QAEQE PLVRVLVNDR VVPLHGCPID aLGRCTrDSF
A. niger T213 QC.....QAEQE PLVRVLVNDR VVPLHGCPID aLGRCTrDSF
A. niger NRRL3135 QC.....QAEQE PLVRVLVNDR VVPLHGCPVD aLGRCTrDSF
A. fumigatus 13073 QC.....KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF
A. fumigatus 32722 QC.....KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF
A. fumigatus 58128 QC.....KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF
A. fumigatus 26906 QC.....KSEKE PLVRALINDR VVPLHGCAVD KLGRCKLNDF
A. fumigatus 32239 QC.....KSEKE PLVRALINDR VVPLHGCAVD KLGRCKLNDF
E. nidulans QC.....E.KKE PLVRVLVNDR VVPLHGCAVD KLGRCKLNDF
T. thermophilus QC.....DDSDE PVVRVLVNDR VVPLHGCEVD SLGRCKrDDF
M. thermophila RCagggggggg ggegrQEKEDE eMVRVLVNDR VMTLkGCGAD ErGMCTLErF

Consensus QC-----QAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF
Consensus phytase QC.....QAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKRDDF

451

471
A. terreus 9A-1 VAGLSFAQAG GNWADCF---
A. terreus cbs VEGLSFARAG GNWAECE---
A. niger var. *awamori* VrGLSFARSG GDWAECEsA---
A. niger T213 VrGLSFARSG GDWAECEFA---
A. niger NRRL3135 VrGLSFARSG GDWAECEFA---
A. fumigatus 13073 VKGLSWARSG GNWGECEFS---
A. fumigatus 32722 VKGLSWARSG GNWGECEFS---
A. fumigatus 58128 VKGLSWARSG GNWGECEFS---
A. fumigatus 26906 VKGLSWARSG GNWGECEFS---
A. fumigatus 32239 VKGLSWARSG GNSEQSFS---
E. nidulans VEGLNFAARSG GNWkTCFT1--

Fig. 5C

8/32

<i>T. thermophilus</i>	VrGLSFARqG GNWEGCYAas e
<i>M. thermophila</i>	IESMAFARGN GKWDlCFA-- -
Consensus.	VEGLSFARSG GNWAECA-- -
Consensus phytase	VEGLSPARSG GNWAECA... .

Fig. 5D

9/32

	1		50
<i>P. involutus</i> (phyA1)	SvP.KnTAPt FPIPeseQrn WSPYSPYFPL AeYkAPPAGC QInQVNIQR		
<i>P. involutus</i> (phyA2)	SvP.RniAPK FSIPeseQrn WSPYSPYFPL AeYkAPPAGC EInQVNIQR		
<i>T. pubescens</i>	hiPlRdTSAC LdVTrDvQqs WSmYSPYFPA AtYvAPPASC QInQVHIQR		
<i>A. pediades</i>	GgvvQaTfvQ pffPpQiQds WAAyTPYYPV qaYtPPPkDC KITQVNIQR		
<i>P. lycii</i>	StQfsfvAAQ LPIPaQntsn WGPYdPFFPV EpYaAPPEGC tVtQVNLQR		
Basidio	S-P-R-TAAQ LPIP-Q-Q-- WSPYSPYFPV A-Y-APPAGC QI-QVNIQR		
	51		100
<i>P. involutus</i> (phyA1)	HGARFPTSGA TTRIKAGLTK LQGvqnftDA KFNFIkSfky dLGnsDLVFP		
<i>P. involutus</i> (phyA2)	HGARFPTSGA ATRIKAGLSK LQsvqnftDP KFDfIkSfTY dLGtsDLVFP		
<i>T. pubescens</i>	HGARFPTSGA AkRIQTAVAK LKAAsnyTDP lLAFvtNyTY sLGqDsLVeL		
<i>A. pediades</i>	HGARFPTSGA GTRIQAavKk LQSAktyTDP RLDFLTnyTY tLGhDDLVPF		
<i>P. lycii</i>	HGARWPTSGA rSRqvAAVAK IQmArpTDP KYEFLnDfvy kFGvADLLPF		
Basidio	HGARFPTSGA ATRIQAavAK LQSA---TDP KLDfL-N-TY -LG-DDLVFP		
	101		150
<i>P. involutus</i> (phyA1)	GAAQSfdAGQ EAFARYSkLV SkNNLPFIRA dGSDRVVDSA TNWTAGFAsA		
<i>P. involutus</i> (phyA2)	GAAQSfdAGl EvFARYSkLV SsDNLFFIRS dGSDRVVDTA TNWTAGFAsA		
<i>T. pubescens</i>	GATQSSQAGQ EAFTRYsLV SaDELpFVRA SGSDRVVATA nNWTAGFALA		
<i>A. pediades</i>	GALQSSQAGE ETfQrYsLV SKENLPFVRA SSSNRVVDSA TNWTEGFSaA		
<i>P. lycii</i>	GAnQShQTgt DmYTRYStLf egGDVPFVRA AGdQRVVDS TNWTAGFGdA		
Basidio	GA-QSSQAGQ EAFTRYs-LV S-DNLpFVRA SGSDRVVDSA TNWTAGFA-A		
	151		200
<i>P. involutus</i> (phyA1)	ShNtVqPkLn LILPQtGNDT LEDNMCPaAG DSDPQvNAWL AVafPSITAR		
<i>P. involutus</i> (phyA2)	SrNAiqPkLd LILPQtGNDT LEDNMCPaAG ESDPQvDAWL AsafPSVTAQ		
<i>T. pubescens</i>	SsNSitPvLs VIISEaGNDT LDDNMCPaAG DSDPQvNgWL AqFAPPMTAR		
<i>A. pediades</i>	ShHvlnPiLf VILSEsLNDT LDDaMCPnAG sSDPQtGiWt SIYGTPIAnR		
<i>P. lycii</i>	SgETvlpTLq VVLqEeGNct LcNNMCPnEv DGDest.tWL GVFAPNITAR		
Basidio	S-NT--P-L- VILSE-GNDT LDDNMCP-AG DSDPQ-N-WL AVFAPPITAR		
	201		250
<i>P. involutus</i> (phyA1)	LNAAAPsvNL TDtDafNLvs LCAFlTVSke kKSdFctLFE giPGsFeAFa		
<i>P. involutus</i> (phyA2)	LNAAAPGANL TDaDafNLvs LCPFmTVSke qKSdFctLFE giPGsFeAFa		
<i>T. pubescens</i>	LNAGAPGANL TDtDTyNLlt LCPFETVatE rrSeFCDIYE elQAE.dAFa		
<i>A. pediades</i>	LNqqAPGANI TAaDvsNLip LCAFETivke tpSpFCNLf. .tPEEFaqFe		
<i>P. lycii</i>	LNAAAPsANL SDsDaltLmd MCPFDTLSSg naSpFCDLf. .tAEeyvSYe		
Basidio	LNAAAPGANL TD-DA-NL-- LCPFETVS-E --S-FCDLFE --PEEF-AF-		
	251		300
<i>P. involutus</i> (phyA1)	YgGDLDKfYG TGYGQeLGPV QGVGYNELI ARLTnsAVRD NTQTNRtLDA		
<i>P. involutus</i> (phyA2)	YaGDLDKfYG TGYGQALGPV QGVGYINELL ARLTnsAVnd NTQTNRtLDA		
<i>T. pubescens</i>	YnADLDKfYG TGYGQPLGPV QGVGYINELI ARLTaQvSd HTQTNStLDS		
<i>A. pediades</i>	YfGDLDKfYG TGYGQPLGPV QGVGYINELL ARLTemPVRD NTQTNRtLDS		
<i>P. lycii</i>	YyyDLdkYyG TGpGNALGPV QGVGYINELL ARLTgQAVRD ETQTNRtLDS		
Basidio	Y-GDLDKfYG TGYGQPLGPV QGVGYINELL ARLT-QAVRD NTQTNRtLDS		

Fig. 6A

10/32

P. involutus (phyA1) SPVTFPLNKT FYADFSHDN1 MVAVFSAMGL FrQPAPLsTS vPNPwRTWtT
P. involutus (phyA2) APdTFPLNKT MYADFSHDN1 MVAVFSAMGL FrQSAPLsTS tPDPNRTWLT
T. pubescens SPeTFPLNRT LYADFSHDNQ MVAIFSAMGL FNQSAPLDPT tPDPaRTFLv
A. pediades SPLTFPLDRS IYADLSHDNQ MIAIFSAMGL FNQSSPLDPS fPNPKRTWVT
P. lycii dPaTFPLNRT FYADFSHDNt MVPIFAALGL FNAtA.LDPl kPDeNRLWVd

Basidio SP-TFPLNRT FYADFSHDNQ MVAIFSAMGL FNQSAPLDPS -PDPNRTWVT

351 400
P. involutus (phyA1) SsLVPFSGRM VVERLsC..f GT..... tkV RVLVQDqVQP
P. involutus (phyA2) SsVVPFSARM aVERLsC..a GT..... tkV RVLVQDqVQP
T. pubescens kKIVPFSGRM VVERLdC..g GA..... qsv RLLVNDaVQP
A. pediades SRLtPFSGRM VtERLlCqrd GTgsgggsri mringnvqtfv RILVNDALQP
P. lycii SKLVPFSGHM tVEKLsC... sgkeav RVLVNDaVQP

Basidio SKLVPFSGRM VVERL-C--- GT-----V RVLVNDaVQP

401 441
P. involutus (phyA1) LEFCGGDrNG lCTLAKFVES QtFARsDGaG DFEKCFATSa -
P. involutus (phyA2) LEFCGGDqDG lCALDKFVES QaYARsGGaG DFEKCLATTv -
T. pubescens LAFCGADtsG vCTLDaFVES QaYARNDGEG DFEKCFAT-- -
A. pediades LKFCGGDmDS lCTLEAFVES QkYAREdGQG DFEKCFD--- -
P. lycii LEFCGG.vDG vCeLsAFVES QtYARENGQG DfAKCgfvPs e

Basidio LEFCGGD-DG -CTLDaFVES Q-YAREdGQG DFEKCFATP- -

Fig. 6B

11/32

		50
	1	
A. terreus 9a1	KhscdCNSVDh	GYQCFPELSH kWGLIAPYFS LqDESPFP1D VPdCHITFV
A. terreus cbs	NhscdCtSVDr	GYQCFPELSH kWGLIAPYFS LqDESPFP1D VPdCHITFV
A. niger var. awamori	NqstCDTVDq	GYQCFSETSH LWGQYAPFFS LANESAISPD VPAGCRVTFA
A. niger NRRL3135	NqstCDTVDq	GYQCFSETSH LWGQYAPFFS LANESVISPE VPAGCRVTFA
A. fumigatus 13073	GskSCDTVD1	GYQCsPATSH LWGQYSPFFS LEDELSVSSK LPKDCRITLV
A. fumigatus 32722	GskSCDTVD1	GYQCsPATSH LWGQYSPFFS LEDELSVSSK LPKDCRITLV
A. fumigatus 58128	GskSCDTVD1	GYQCsPATSH LWGQYSPFFS LEDELSVSSK LPKDCRITLV
A. fumigatus 26906	GskSCDTVD1	GYQCsPATSH LWGQYSPFFS LEDELSVSSK LPKDCRITLV
A. fumigatus 32239	GskACDTVE1	GYQCsPGtSH LWGQYSPFFS LEDELSVSSD LPKDCRITLV
E. nidulans	QNHSCNTaDG	GYQCFPNVSH VWGQYSPYFS IEQESAISED VPqNCKITFV
T. thermophilus	DSHSCNTVEG	GYQCrPEISH sWGQYSPFFS LADQSEISPD VPkGCRVTFV
T. lanuginosa	-----	-----nvDIAR hWGQYSPFFS LAEvSEISPA VPkGCRVTFV
M. thermophila	ESRCDTpd1	GFQCgTAISH FWGQYSPYFS VPSElDaS.. IPdDCeVTFa
Basidio	xSxPxrxTAA	qLPipxQxqx xWSPYSPYFP VAXyxA.... pPaGCQixqV
Consensus	NSHSCDTVDG	GYQC-PEISH LWGQYSPFFS LADESAISPD VP-GCRVTFV
Fcp10	NSHSCDTVDG	GYQCPEISH LWGQYSPFFS LADESAISPD VPkGCRVTFV
		100
	51	
A. terreus 9a1	QVLARHGARS	PThSKTKaYA AtIaAIQKSA TaFpGKYAFL QSYNYSLDSE
A. terreus cbs	QVLARHGARS	PTdSKTKaYA AtIaAIQKNA TaLpGKYAFL KSYNYSMGSE
A. niger var. awamori	QVLSRHGARY	PTeSKGKKYS ALIEEIQQNv TtFDGKYAFL KTYNYSLGAD
A. niger NRRL3135	QVLSRHGARY	PTdSKGKKYS ALIEEIQQNA TtFDGKYAFL KTYNYSLGAD
A. fumigatus 13073	QVLSRHGARY	PTSSKSKKYk kLVtAIQaNA TdFKGKFAFL KTYNYTLGAD
A. fumigatus 32722	QVLSRHGARY	PTSSKSKKYk kLVtAIQaNA TdFKGKFAFL KTYNYTLGAD
A. fumigatus 58128	QVLSRHGARY	PTSSKSKKYk kLVtAIQaNA TdFKGKFAFL KTYNYTLGAD
A. fumigatus 26906	QVLSRHGARY	PTSSKSKKYk kLVtAIQaNA TdFKGKFAFL KTYNYTLGAD
A. fumigatus 32239	QVLSRHGARY	PTASKSKKYk kLVtAIQKNA TeFKGKFAFL ETYNYTLGAD
E. nidulans	QVLSRHGARY	PTeSKSKaYS GLIEAIQKNA TsFwGQYAFI ESYNYTLGAD
T. thermophilus	QLLSRHGARY	PTSSKTelys qLIerIQKtA TaYKGyYAFI KdYrYqLGAN
T. lanuginosa	QVLSRHGARY	PTAhKSEvYA ELLqrIQDtA TeFKGDFAFI RdYaYhLGAD
M. thermophila	QVLSRHGARA	PTlKRAasYv DLIdrIHhGA isYgPgYEFI RTYDYTLGAD
Basidio	NIIRHGARF	PTSGaAtrIq AaVakLQsax xxtDPKLDFL xxxtYxLGxD
Consensus	QVLSRHGARY	PTSSKSKKYS ALI-AIQKNA T-FKGKYAFL KTYNYTLGAD
Fcp10	QVLSRHGARY	PTSSKSKKYS ALIEAIQKNA TAFKGKYAFL KTYNYTLGAD
		150
	101	
A. terreus 9a1	ELTPFGrNQL	rDlGaQFYeR YNAL.TrhIn PFVRATDAsr VhESAeKFVE
A. terreus cbs	NLTPFGrNQL	qDlGaQFYRR YDTL.TrhIn PFVRAADSsr VhESAeKFVE
A. niger var. awamori	DLTPFGEQEL	VNSGIKFYQR YESL.TrnII PFIRSSGSsr VIASGEKFIE
A. niger NRRL3135	DLTPFGEQEL	VNSGIKFYQR YESL.TrnIV PFIRSSGSsr VIASGEKFIE
A. fumigatus 13073	DLTPFGEQQL	VNSGIKFYQR YKAL.ArsvV PFIRASGSDr VIASGEKFIE
A. fumigatus 32722	DLTPFGEQQL	VNSGIKFYQR YKAL.ArsvV PFIRASGSDr VIASGEKFIE
A. fumigatus 58128	DLTPFGEQQL	VNSGIKFYQR YKAL.ArsvV PFIRASGSDr VIASGEKFIE
A. fumigatus 26906	DLTPFGEQQL	VNSGIKFYQR YKAL.ArsvV PFIRASGSDr VIASGEKFIE
A. fumigatus 32239	DLTPFGEQQM	VNSGIKFYQK YKAL.AgsVv PFIRSSGSdr VIASGEKFIE
E. nidulans	DLTiFGENQM	VDSGaKFYRR YKnl.ArKnt PFIRASGSDr VVASAEKFIE
T. thermophilus	DLTPFGENQM	IQlGIKFYnH YKSL.Arnav PFVRCSGSDr VIASGr1FIE
T. lanuginosa	NLTPFGEQEQM	MESGrQFYHR YReq.ArEIV PFVRAAGSAR VIASAEfFnR
M. thermophila	ELTRtGQQQM	VNSGIKFYRR YRAL.ARksI PFVRTAGQDr VVhSAENftQ
Basidio	DLvPFGAxQS	sQAGqEaFtR YsXlvSxdnL PFVRASGSDr VVDSAtNwT4
Consensus	DLTPFGEQQM	VNSGIKFYRR YKAL-AR-IV PFVRASGSDr VIASAEKFIE

Fig. 7A

12/32

Fcp10 DLTPFGEQQM VNSGIKFYRR YKAL.ARKIV PFVRASGSDR VIASAEKPIE

	151	200
A. terreus 9a1	GFQTARqDDh hAnphQPSPr	VDVaIPEGsA YNNTLEHSLC TAFEs...St
A. terreus cbs	GFQNARqGDP hAnphQPSPr	VDVVIPEGtA YNNTLEHSIC TAFEa...St
A. niger var. awamori	GFQSTKLkDP rAqpgQSSPk	IDVVISeAss sNNTLDpGtC TvFed...SE
A. niger NRRL3135	GFQSTKLkDP rAqpgQSSPk	IDVVISeAss sNNTLDpGtC TvFed...SE
A. fumigatus 13073	GFQqAKLADP gAt.nRAAPa	ISVIIPESeT FNNTLDHGVC TkFEa...SQ
A. fumigatus 32722	GFQqAKLADP gAt.nRAAPa	ISVIIPESeT FNNTLDHGVC TkFEa...SQ
A. fumigatus 58128	GFQqAKLADP gAt.nRAAPa	ISVIIPESeT FNNTLDHGVC TkFEa...SQ
A. fumigatus 26906	GFQqAKLADP gAt.nRAAPa	ISVIIPESeT FNNTLDHGVC TkFEa...SQ
A. fumigatus 32239	GFQqANVADP gAt.nRAAPV	ISVIIPESeT YNNTLDHSVC TnFEa...SE
E. nidulans	GFRkaQLhDh g.s.gQATPV	VNVIPEIdG FNNTLDHStC vSFen...dE
T. thermophilus	GFQSAKVLDP hSdKhDAPpt	INVIIeEGpS YNNTLDtGSc PvFed...Ss
T. lanuginosa	GFQdAKdrDP rSnkdQaEPV	INVIISeEtG sNNTLDgltC PaaEe...Ap
M. thermophila	GFHSA1LADR gStvrPTlPy	dmVVIPEtAG aNNTLHNDLC TAFEegPySt
Basidio	GFaxA.....	sxntxxPx LxVILSExg. .NDTLDDNMCPxAG

Consensus	GFQSAKLADP	-A---QASPV	INVIIPEG-G	YNNTLDHGLC	TAFE--P-SE
Fcp10	GFQSAKLADP	GANPHQASPV	INVIIPEGAG	YNNTLDHGLC	TAFEE...SE

	201	250
A. terreus 9a1	VGDDaVANFT AVFAPAIaQR	LEAdLPGVQL StDDVNLMA MCPFETVS1T
A. terreus cbs	VGDAaADNFT AVFAPAIaQR	LEAdLPGVQL SADDVNLMA MCPFETVS1T
A. niger var. awamori	LADtVEANFT AtFAPSIRqR	LEndLSGvtL TDtEvtyLMD MCSFDT1stS
A. niger NRRL3135	LADtVEANFT AtFvPSIRqR	LEndLSGvtL TDtEvtyLMD MCSFDT1stS
A. fumigatus 13073	LGDEVAANFT ALFAPdIRAR	aEkhlPGVtL TDEDVVS1MD MCSFDTVArT
A. fumigatus 32722	LGDEVAANFT ALFAPdIRAR	aEkhlPGVtL TDEDVVS1MD MCSFDTVArT
A. fumigatus 58128	LGDEVAANFT ALFAPdIRAR	aEkhlPGVtL TDEDVVS1MD MCSFDTVArT
A. fumigatus 26906	LGDEVAANFT ALFAPdIRAR	aKKhLPGVtL TDEDVVS1MD MCSFDTVArT
A. fumigatus 32239	LGDEVAANFT ALFAPAIRAR	IEKhLPGVQL TDDDVS1MD MCSFDTVArT
E. nidulans	rADEIEANFT AIMGPPIRkR	LEndLPGIKL TNENViYlMD MCSFDTMarT
T. thermophilus	gGHdaQEKFA kqFAPAIEK	IKDhLPGVDL AvsDVpyLMD LCPFETLarn
T. lanuginosa	.DptqpAEFl qVFGPRVlKk	ItkhMPGVNL T1EDVplFMD LCPFDTVGsd
M. thermophila	IGDDaQDtYl StFAGPitAR	VNAnLPGaNL TDADtVaLMD LCPFETVAsS
Basidio	dSDpqxnXWl AVFAPPitAR	LNAAaPGaNL TDxDaxNLxx LCPFETVS..

Consensus	LGDDVEANFT	AVFAPP1RAR	LEA-LPGVNL	TDEDVNLMD	MCPFDTVArT
Fcp10	LGDDVEANFT	AVFAPP1RAR	LEAHLPGVNL	TDEDVNLMD	MCPFDTVArT

	251	300
A. terreus 9a1	dD..Aht...LSPF CDLFta..tE WtQYNYL1SL dKYYGYGGGN
A. terreus cbs	dD..Aht...LSPF CDLFta..aE WtQYNYL1SL dKYYGYGGGN
A. niger var. awamori	Tv..DTK...LSPF CDLFTH..dE WiHYDYLOSL kKYYGHGAGN
A. niger NRRL3135	Tv..DTK...LSPF CDLFTH..dE WiNYDYLOSL kKYYGHGAGN
A. fumigatus 13073	SD..ASQ...LSPF CQLFTH..nE WkKYNYLOSL gKYYGYGAGN
A. fumigatus 32722	SD..ASQ...LSPF CQLFTH..nE WkKYNYLOSL gKYYGYGAGN
A. fumigatus 58128	SD..ASQ...LSPF CQLFTH..nE WkKYNYLOSL gKYYGYGAGN
A. fumigatus 26906	SD..ASQ...LSPF CQLFTH..nE WkKYNYLOSL gKYYGYGAGN
A. fumigatus 32239	AD..ASE...LSPF CAIFTH..nE WkKYDYLOSL gKYYGYGAGN
E. nidulans	AH..GTE...LSPF CAIFTE..kE WlQYDYLOSL sKYYGYGAGS
T. thermophilus	ht..DT....LSPF CALsTQ..eE WqayDYyQSL gKYYGnGGGN
T. lanuginosa	PvlfPrQ...LSPF CHLFTa..dD WmayDYyTL dKYYSHGGGS
M. thermophila	SsdpaTadag ggngrrLSPF	CrLFSE..sE WraYDYLOSV gKWYGYGPGN
BasidioxexxSxF CDLFexxpeE FxaFxYxgdL dKfYGTGyGQ

Consensus	SD--ATQ---	-----LSPF CDLFTH---E W-QYDYLOSL -KYYGYGAGN
Fcp10	SD..ATQ...LSPF CDLFTH..DE WiQYDYLOSL GKYYGYGAGN

	301	350
A. terreus 9a1	PLGPvQGVGW aNELMARLTr	A.PVHDHTCv NNTLDASPAT FPLNATLYAD
A. terreus cbs	PLGPvQGVGW aNELIARLTr	S.PVHDHTCv NNTLDANPAT FPLNATLYAD
A. niger var. awamori	PLGPTQGVGY aNELIARLTH	S.PVHDDTSS NHTLDSNPAT FPLNSTLYAD
A. niger NRRL3135	PLGPTQGVGY aNELIARLTH	S.PVHDDTSS NHTLDSSPAT FPLNSTLYAD

Fig. 7B

13/32

<i>A. fumigatus</i> 13073	PLGPAQGIGF	tNELIARLTR	S.PVQDHTST	NstLvSNPAT	FPLNATMYvD
<i>A. fumigatus</i> 32722	PLGPAQGIGF	tNELIARLTR	S.PVQDHTST	NstLvSNPAT	FPLNATMYvD
<i>A. fumigatus</i> 58128	PLGPAQGIGF	tNELIARLTR	S.PVQDHTST	NstLvSNPAT	FPLNATMYvD
<i>A. fumigatus</i> 26906	PLGPAQGIGF	tNELIARLTR	S.PVQDHTST	NstLvSNPAT	FPLNATMYvD
<i>A. fumigatus</i> 32239	PLGPAQGIGF	tNELIARLTN	S.PVQDHTST	NstLSDSPAT	FPLNATIYvD
<i>E. nidulans</i>	PLGPAQGIGF	tNELIARLTQ	S.PVQDNTST	NHTLDSNPAT	FPLDrkLYAD
<i>T. thermophilus</i>	PLGPAQGVGF	vNELIARMTN	S.PVQDYTTv	NHTLDSNPAT	FPLNATLYAD
<i>T. lanuginosa</i>	AFGPSRGVGF	vNELIARMTg	NlPVKDHTTv	NHTLDdNPET	FPLDAvLYAD
<i>M. thermophila</i>	PLGPTQGVGF	vNELLARLA	GvPVRDgtST	NRTLGDGPtT	FPLGrPLYAD
Basidio	PLGPvQGVGY	iNELLARLTx	qa.VRDNTqT	NRTLDSsPxT	FPLNrTFYAD

Consensus	PLGPAQGVGF	-NELIARLTH	S-PVQDHTST	NHTLDSNPAT	FPLNATLYAD
Fcp10	PLGPAQGVGF	VNELIARLTH	S.PVQDHTST	NHTLDSNPAT	FPLNATLYAD

	351	400			
<i>A. terreus</i> 9a1	FSHDSnLVSI	FWALGLYNGT	aPLSqtSVE.	.SvsQTDGYA	AAWTVPFAAR
<i>A. terreus</i> cbs	FSHDSnLVSI	FWALGLYNGT	kPLSqtTVE.	.ditrTDGYA	AAWTVPFAAR
<i>A. niger</i> var. <i>awamori</i>	FSHDNGIISI	LFALGLYNGT	kPLSTTTVE.	.NitQTDGFS	SAWTVPFASR
<i>A. niger</i> NRRL3135	FSHDNGIISI	LFALGLYNGT	kPLSTTTVE.	.NitQTDGFS	SAWTVPFASR
<i>A. fumigatus</i> 13073	FSHDNSMVSI	FFALGLYNGT	ePLSrTSVE.	.SaKELDGYS	ASWvVPFGAR
<i>A. fumigatus</i> 32722	FSHDNSMVSI	FFALGLYNGT	gPLSrTSVE.	.SaKELDGYS	ASWvVPFGAR
<i>A. fumigatus</i> 58128	FSHDNSMVSI	FFALGLYNGT	ePLSrTSVE.	.SaKELDGYS	ASWvVPFGAR
<i>A. fumigatus</i> 26906	FSHDNSMVSI	FFALGLYNGT	ePLSrTSVE.	.SaKELDGYS	ASWvVPFGAR
<i>A. fumigatus</i> 32239	FSHDNGMIPI	FFAMGLYNGT	ePLSqtSeE.	.StKESNGYS	ASWAVPFGAR
<i>E. nidulans</i>	FSHDNSMISI	FFAMGLYNGT	qPLSmdSVE.	.SiQEmDGYA	ASWTVPFGAR
<i>T. thermophilus</i>	FSHDNTMtSI	FaALGLYNGT	akLSTTeIK.	.SiEETDGYS	AAWTVPFGGR
<i>T. lanuginosa</i>	FSHDNTMtGI	FsAMGLYNGT	kPLSTSKIQP	pTgAAADGYA	ASWTVPFAAR
<i>M. thermophila</i>	FSHDNdMMGV	LgALGaYDgV	pPLdkTA..R	rdpEELGGYA	ASWAVPFAAR
Basidio	FSHDNqMVAI	FsAMGLFNqS	aPLdPSxpDP	nrt.....Wv	TSKlVPFSAR

Consensus	FSHDNTMVSI	FFALGLYNGT	-PLSTTSVEP	-S-EETDGYS	ASWTVPFAAR
Fcp10	FSHDNTMVSI	FFALGLYNGT	KPLSTTSVE.	.SiEETDGYS	ASWTVPFAAR

	401	450			
<i>A. terreus</i> 9a1	AYVEMMQC..	ra.....EKEPL	VRVLVNDVRM	PLHGCPtDKL
<i>A. terreus</i> cbs	AYIEMMQC..	ra.....EKQPL	VRVLVNDVRM	PLHGCAVDNL
<i>A. niger</i> var. <i>awamori</i>	lyVEMMQC..	Qa.....EQEPL	VRVLVNDRVV	PLHGCPIDaL
<i>A. niger</i> NRRL3135	lyVEMMQC..	Qa.....EQEPL	VRVLVNDRVV	PLHGCPVDaL
<i>A. fumigatus</i> 13073	AYfEtMQC..	Ks.....EKEPL	VraLINDRVV	PLHGCDVDKL
<i>A. fumigatus</i> 32722	AYfEtMQC..	Ks.....EKEPL	VraLINDRVV	PLHGCDVDKL
<i>A. fumigatus</i> 58128	AYfEtMQC..	Ks.....EKESL	VraLINDRVV	PLHGCDVDKL
<i>A. fumigatus</i> 26906	AYfEtMQC..	Ks.....EKEPL	VraLINDRVV	PLHGCDVDKL
<i>A. fumigatus</i> 32239	AYfEtMQC..	Ks.....EKEPL	VraLINDRVV	PLHGCAVDKL
<i>E. nidulans</i>	AYfELMQC..	E.....KKEPL	VRVLVNDRVV	PLHGCAVDKF
<i>T. thermophilus</i>	AYIEMMQC..	Dd.....sDEPV	VRVLVNDRVV	PLHGCEVDsL
<i>T. lanuginosa</i>	AYVELLRC..	Etetsseeee	EG...EDEPF	VRVLVNDRVV	PLHGCrVDRW
<i>M. thermophila</i>	iYVEkMRC..	sgggggggggg	EGrqeKDEeM	VRVLVNDVRM	TLkGCGaDEr
Basidio	mvVerLxCxx	xgtxxxxxxx	xxxxxxxxxxx	VRVLVNDaVq	PLEfCGgDxd

Consensus	AYVEMMQC--	E-----	EG---EKEPL	VRVLVNDRVV	PLHGCGVDKL
Fcp10	AYVEMMQC..	EA.....EKEPL	VRVLVNDRVV	PLHGCGVDKL

Fig. 7C

14/32

	451	482
<i>A. terreus</i> 9a1	GRCKrDAFVA GLSFAQAG..	GNWADCF--- --
<i>A. terreus</i> cbs	GRCKrDDFVE GLSFARAG..	GNWAECF--- --
<i>A. niger</i> var. <i>awamori</i>	GRCTrDsFVr GLSFARSG..	GDWAECsA-- --
<i>A. niger</i> NRRL3135	GRCTrDsFVr GLSFARSG..	GDWAECFA-- --
<i>A. fumigatus</i> 13073	GRCKlNDFVK GLSWARSG..	GNWGECSFS-- --
<i>A. fumigatus</i> 32722	GRCKlNDFVK GLSWARSG..	GNWGECSFS-- --
<i>A. fumigatus</i> 58128	GRCKlNDFVK GLSWARSG..	GNWGECSFS-- --
<i>A. fumigatus</i> 26906	GRCKlNDFVK GLSWARSG..	GNWGECSFS-- --
<i>A. fumigatus</i> 32239	GRCKlKDFVK GLSWARSG..	GNSEQSFS-- --
<i>E. nidulans</i>	GRCTlDDWVE GLNFARSG..	GNWktCFTl~ --
<i>T. thermophilus</i>	GRCKrDDFVr GLSFARqG..	GNWEGCYAas e-
<i>T. lanuginosa</i>	GRCRrDEWIK GLTFARqG..	GHWDrcF--- --
<i>M. thermophila</i>	GmCt1ErFIE SMAFARGN..	GKWDlCFA-- --
Basidio	GxCt1DAFVE SqxYAReDgq	GDFEKCFAtp xx
Consensus	GRCK-DDFVE GLSFARSG--	GNWEECFA-- --
Fcp10	GRCKRDDFVE GLSFARSG..	GNWEECFA.. ..

Fig. 7D

15/32

	1		50
<i>P. involutus</i> (phyA1)	-----	-FPipeseqR nWSPYSPYFP LAEyKA....	pPaGCQInqV
<i>P. involutus</i> (phyA2)	-----	-FsipeseqR nWSPYSPYFP LAEyKA....	pPaGCeInqV
<i>T. pubescens</i>	-----	-LDvtrDVqQ sWSmYSPYFP aAtyvA....	pPaSCQInqV
<i>A. pediades</i>	-----	-pffpPQIQD sWAAyTPYYP VqAyTP....	pPKDCKITqV
<i>P. lycii</i>	-----	-LPipAQnTs nWGPYdPFFF VEPyAA....	pPEGctVTqV
<i>A. terreus</i> 9a1	KhsdCNSVDh	GYQCfPELSH kWGLYAPYFS LqDESPFP1D	VPEDCHITFV
<i>A. terreus</i> cbs	NhsdCtSVDr	GYQCfPELSH kWGLYAPYFS LqDESPFP1D	VPDDCHITFV
<i>A. niger</i> var. <i>awamori</i>	NqsTCDTVDq	GYQCfSETSH LWGQYAPFFS LANESAISPD	VPaGCRVTFa
<i>A. niger</i> T213	NqsSCDTVDq	GYQCfSETSH LWGQYAPFFS LANESvISPD	VPaGCRVTFa
<i>A. niger</i> NRRL3135	NqsSCDTVDq	GYQCfSETSH LWGQYAPFFS LANESvISPE	VPaGCRVTFa
<i>A. fumigatus</i> ATCC13073	GskSCDTVD1	GYQCsPatSH LWGQYSPFFS LEDELsvSSK	LPKDCRITLV
<i>A. fumigatus</i> ATCC32722	GskSCDTVD1	GYQCsPatSH LWGQYSPFFS LEDELsvSSK	LPKDCRITLV
<i>A. fumigatus</i> ATCC58128	GskSCDTVD1	GYQCsPatSH LWGQYSPFFS LEDELsvSSK	LPKDCRITLV
<i>A. fumigatus</i> ATCC26906	GskSCDTVD1	GYQCsPatSH LWGQYSPFFS LEDELsvSSK	LPKDCRITLV
<i>A. fumigatus</i> ATCC32239	GskACDTVEL	GYQCsPgTSH LWGQYSPFFS LEDELsvSSD	LPKDCRVTFV
<i>E. nidulans</i>	QNHSCNTaDg	GYQCfPNVSH VMGQYSPYFS IEQESAISEd	VPhGCeVTFV
<i>T. thermophilus</i>	DSHSCNTVEg	GYQCfPEISH sWGQYSPFFS LADQSEISPD	VPQNCKITFV
<i>T. lanuginosa</i>	-----	-----nvDIAR hWGQYSPFFS LAEvSEISPA	VPKGCrvEVFV
<i>M. thermophila</i>	ESRPCDTpD1	GFQCgTAISH FWGQYSPYFS VPSElDaS..	IPDDCEVTFa
Consensus Seq. 11	NSHSCDTVD-	GYQC-PEISH LWGQYSPFFS LADESAISPD	VPKGCrvTFV
	51		100
<i>P. involutus</i> (phyA1)	NIIQRHGARF	PTSGaTtRik AgLtKLQgvq nftDAKFNF	KSFKYdLGns
<i>P. involutus</i> (phyA2)	NIIQRHGARF	PTSGaAtRik AgLsKLQsvq nftDPKFDFI	KSFTydLGTs
<i>T. pubescens</i>	HIIQRHGARF	PTSGaAKRiq TaVAKLKaaS nytdP1LAFV	tnYtYSLGqD
<i>A. pediades</i>	NIIQRHGARF	PTSGaGtRiq AaVKKLQsak TytdPRLDfL	tnYtYTLghD
<i>P. lycii</i>	NLIQRHGARW	PTSGarsRqv AaVAKIQmar PftDPKYEF	NdFvYkFGvA
<i>A. terreus</i> 9a1	QVLARHGARS	PTskTKaYA AtIAaIQKSA TaFpGKYAFL	QSYNYSldSE
<i>A. terreus</i> cbs	QVLARHGARS	PTdskTKaYA AtIAaIQKNA TaLpGKYAFL	KSYNYSMGSE
<i>A. niger</i> var. <i>awamori</i>	QVLSRHGARY	PtESKGGKYS ALIEeIQQNV TtFDGKYAFL	KTYNYSLGAD
<i>A. niger</i> T213	QVLSRHGARY	PtESKGGKYS ALIEeIQQNV TtFDGKYAFL	KTYNYSLGAD
<i>A. niger</i> NRRL3135	QVLSRHGARY	PtESKGGKYS ALIEeIQQNA TtFDGKYAFL	KTYNYSLGAD
<i>A. fumigatus</i> ATCC13073	QVLSRHGARY	PTSSKSKKYk kLVtaIQaNA TdFKGKFAFL	KTYNYTLGAD
<i>A. fumigatus</i> ATCC32722	QVLSRHGARY	PTSSKSKKYk kLVtaIQaNA TdFKGKFAFL	KTYNYTLGAD
<i>A. fumigatus</i> ATCC58128	QVLSRHGARY	PTSSKSKKYk kLVtaIQaNA TdFKGKFAFL	KTYNYTLGAD
<i>A. fumigatus</i> ATCC26906	QVLSRHGARY	PTSSKSKKYk kLVtaIQaNA TdFKGKFAFL	KTYNYTLGAD
<i>A. fumigatus</i> ATCC32239	QVLSRHGARY	PTASKSKKYk kLVtaIQKNA TeFKGKFAFL	ETNYNYTLGAD
<i>E. nidulans</i>	QVLSRHGARY	PtESKSKaYS GLIEaIQKNA TsFwGQYAF	ESYNYTLGAD
<i>T. thermophilus</i>	QLLSRHGARY	PTSSKTELYS qLIaRIQKtA TaYKGyYAF	KdYrYqLGAN
<i>T. lanuginosa</i>	QVLSRHGARY	PTAHKSevYA ELLQRIQDtA TeFKGDFAF	RdYaYhLGAD
<i>M. thermophila</i>	QVLSRHGARA	PTlKRAasYv DLIDRIHhGA isYgPgYEFL	RTYDYTLGAD
Consensus Seq. 11	QVLSRHGARY	PTSSKSKKYs ALIERIQKNA T-FKGKYAFL	KTYNYTLGAD
	101		150
<i>P. involutus</i> (phyA1)	DLvPFGAaQs	fDAGqEaFaR YskLvSKnnL PFIRAdGSDR	VVDSAtNwtA
<i>P. involutus</i> (phyA2)	DLvPFGAaQs	fDAGLEvFaR YskLvSsDnL PFIRsdGSDR	VVDtAtNwtA
<i>T. pubescens</i>	sLveLGAtQs	sEAGqEaFtR YsSLvSaDeL PFVRASGSDR	VVATANNwtA
<i>A. pediades</i>	DLvPFGALQs	sQAGeEtFQR YsfLvSKenL PFVRASSNR	VVDSAtNwtE
<i>P. lycii</i>	DLlPFGANQs	hQTGTdMYtR YsTLfEgGdV PFVRAAGdQR	VVDSStNwtA
<i>A. terreus</i> 9a1	ELTPFGGrNQL	rDlGaQFYeR YNAL.TRHin PFVRATDAsR	VhESAeKFVE
<i>A. terreus</i> cbs	NLTpFGGrNQL	qDlGaQFYRR YDTL.TRHin PFVRAADSSr	VhESAeKFVE
<i>A. niger</i> var. <i>awamori</i>	DLTPFGEQEL	VNSGIKFYQR YESL.TRNII PFIRSSGSsR	VIASGEKFIE
<i>A. niger</i> T213	DLTPFGEQEL	VNSGIKFYQR YESL.TRNII PFIRSSGSsR	VIASGEKFIE
<i>A. niger</i> NRRL3135	DLTPFGEQEL	VNSGIKFYQR YESL.TRNIV PFIRSSGSsR	VIASGKKFIE
<i>A. fumigatus</i> ATCC13073	DLTPFGEQQL	VNSGIKFYQR YKAL.ARSVV PFIRASGSDR	VIASGEKFIE
<i>A. fumigatus</i> ATCC32722	DLTPFGEQQL	VNSGIKFYQR YKAL.ARSVV PFIRASGSDR	VIASGEKFIE
<i>A. fumigatus</i> ATCC58128	DLTPFGEQQL	VNSGIKFYQR YKAL.ARSVV PFIRASGSDR	VIASGEKFIE

Fig. 8A

<i>A. fumigatus</i> ATCC26906	DLTAFGEQQL	VNSGIKFYQR	YKAL.ARSVV	PFIRASGSDR	VIASGEKFIE
<i>A. fumigatus</i> ATCC32239	DLTPFGEQOM	VNSGIKFYQK	YKAL.AgSVV	PFIRSSGSDR	VIASGEKFIE
<i>E. nidulans</i>	DLTI FG ENQM	VDSGaKFYRR	YKnL.ARKnt	PFIRASGSDR	VVASAEKFIn
<i>T. thermophilus</i>	DLTPFGEQNM	IQIGIKFYnH	YKSL.ARNnV	PfVRCSGSDR	VIASGrLFIE
<i>T. lanuginosa</i>	NLTRFGEEQM	MESGRQFYHR	YREq.AREIV	PfVRAAGSAR	VIASAEfFnR
<i>M. thermophila</i>	ELTRtGQQQM	VNSGIKFYRR	YRAL.ARKsI	PfVRTAGqDR	VvHSAENftQ

DLTPFGENQM VNSGIKFYRR YKAL-ARNIV PFVRASGSDR VIASAEKPIE

151					200
GFaSA.....	..shNtvqPk	LNILLPQ..T	gNDTLLEDNMC	PAaGD.....	
GFaSA.....	..srNaiqPk	LDLILPQ..T	gNDTLLEDNMC	PAaGE.....	
GFaLA.....	..ssNsitPV	LSVIISE..A	gNDTLDDNMC	PAaGD.....	
GFsAA.....	..shHvlnPI	LfVILVE..S	LNDTLDDAMC	PnaGs.....	
GFgdA.....	..sgEvltP	QVLQVQE..E	gNcTLcNNMC	PnevD.....	
GFQTARqDdh	hAnpHQPSPr	VDVaIPEGSA	YNNtLEHSLC	TAFes...ST	
GFQNARqGDP	hAnpHQPSPr	VDVVIPEGTA	YNNtLEHSIC	TAFEA...ST	
GFQSTKLkDP	rAqpgQSSPk	IDVVISeASS	sNNtLDpGtC	TvFED...Se	
GFQSTKLkDP	rAqpgQSSPk	IDVVISeASS	sNNtLDpGtC	TvFED...Se	
GFQSTKLkDP	rAqpgQSSPk	IDVVISeASS	sNNtLDpGtC	TvFED...Se	
GFQqAKLADP	gAt..NRAAPa	ISVIIPeSeT	FNNTLdHGVC	TkFEA...Sq	
GFQqAKLADP	gAt..NRAAPa	ISVIIPeSeT	FNNTLdHGVC	TkFEA...Sq	
GFQqAKLADP	gAt..NRAAPa	ISVIIPeSeT	FNNTLdHGVC	TkFEA...Sq	
GFQqAKLADP	gAt..NRAAPa	ISVIIPeSeT	FNNTLdHGVC	TkFEA...Sq	
GFQqANVADP	gAt..NRAAPV	ISVIIPeSeT	YNNtLDHSVC	TnFEA...Se	
GFRAQLhDh	g.s.gQATPV	VNVIIPEidG	FNNTLDHStC	vSFEN...de	
GFQSAKvldP	hSdKHDAPTV	INVIIEEGPS	YNNtLDtGsC	PvFED...SS	
GFQdAKdrDP	rSnkDQaEPV	INVIIEETG	sNNtLDgltC	PAaEE...AP	
GFHSaLLADR	gStvRPTlPy	dmVVIPETAG	aNNtLHNDLC	TAFEEgpyST	

GFOAKLADP -A--HQASPV INVIIPEGSG YNNTLDHGLC TAFED---ST

201

.SDpqvnaWl	AvafPSiTaR	LNaaapSVNL	TdTDafNLVs	LCAFlTVSK.
.SDpqvDaWl	AsafPSvTAQ	LNaaapGaNl	TDAdaFNLVs	LCPFmTVSK.
.SDpqvnQWl	AqFAPPMtAR	LNagaPGaNl	TdTdTynLLt	LCPFETVat
.SDpqtGiWT	SIYGTPIaNR	LNqgaPGaNl	TAADVsnLIp	LCAFETivK.
.GDEst.tWl	GVFAPNItAR	LNaaapSaNL	SDsDaLtLMD	MCPFDtLSS.
VGDDAvANFT	AVFAPAIaqr	LEAdLPGVQL	STDVVNLNMA	MCPFETVSLT
VGDAADNFT	AVFAPAIaKr	LEAdLPGVQL	SADDVVNLMA	MCPFETVSLT
LADtveANFT	AtFAPSIRqR	LEndLSGvTL	TdTEVtyLMD	MCSFDtISTs
LADtveANFT	AtFAPSIRqR	LEndLSGvTL	TdTEVtyLMD	MCSFDtISTs
LADtveANFT	AtFvPSIRqR	LEndLSGvTL	TdTEVtyLMD	MCSFDtISTs
LGDEvAANFT	ALFAPdIRAR	aekhlPGVtL	TDEDVVSLMD	MCSFDTVART
LGDEvAANFT	ALFAPdIRAR	aekhlPGVtL	TDEDVVSLMD	MCSFDTVART
LGDEvAANFT	ALFAPdIRAR	aekhlPGVtL	TDEDVVSLMD	MCSFDTVART
LGDEvAANFT	ALFAPdIRAR	aKchlPGVtL	TDEDVVSLMD	MCSFDTVART
LGDEvEANFT	ALFAPAIRAR	IEkhlPGVQL	TDDDVVSLMD	MCSFDTVART
rADEiEANFT	AIMGPPiRkR	LEndLPGIKL	TNENViylMD	MCSFDtMART
gGHdAQEKFA	kqFAPAIleK	IKDhLPGVDL	AvsDVpyLMD	LCPFETLARN
.DptqPAEF1	qVFGPRVlKk	ItkhMPGVNL	TlEDVplFMD	LCPFDTVGsd
IGDDAQDtYl	StFAGPiTaR	VNAnLPGaNL	TDADtVaLMD	LCPFETVASS

LGDDAEANFT AVFAPPIRAR LEA-LPGVNL TDDEVNLM D MCPFDTVART

```

251                                     300
..... ekkSdF CtLFegIPGs FeaFAYggdL dKFYGTGyGQ
..... eqkSdF CtLFegIPGs FeaFAYagdL dKFYGTGyGQ
..... errSeF CDiYeelqAE .daFAYnadL dKFYGTGyGQ
..... etpSPF CNLF..TPEE FaQFEYFgdL dKFYGTGyGQ
..... gnaSPF CDLF..TAAE YvsYEYYdL dKYYGcGPGN
dD..Aht... ..LSPF CDLF..TAAE WtQYNYLlSL dKYYGYGGGN
dD..Aht... ..LSPF CDLF..TAAE WtQYNYLlSL dKYYGYGGGN
Tv..DTK... ..LSPF CDLF..ThDE WiHYDYlQSL kKYYGHGAGN

```

Fig. 8B

17/32

A. niger T213
A. niger NRRL3135
A. fumigatus ATCC13073
A. fumigatus ATCC32722
A. fumigatus ATCC58128
A. fumigatus ATCC26906
A. fumigatus ATCC32239
E. nidulans
T. thermophilus
T. lanuginosa
M. thermophila

Tv..DTK... ..LSPF CDLF..ThDE WiHYDYLRSL kKYYGHGAGN
 Tv..DTK... ..LSPF CDLF..ThDE WiNYDYLRSL kKYYGHGAGN
 SD..ASQ... ..LSPF CQLF..ThNE WkKYNLYQSL gKYYGYGAGN
 SD..ASQ... ..LSPF CQLF..ThNE WkKYNLYQSL gKYYGYGAGN
 SD..ASQ... ..LSPF CQLF..ThNE WkKYNLYQSL gKYYGYGAGN
 SD..ASQ... ..LSPF CQLF..ThNE WkKYNLYQSL gKYYGYGAGN
 AD..ASE... ..LSPF CAIF..ThNE WkKYDYLRSL gKYYGYGAGN
 AH..GTE... ..LSPF CAIF..TEKE WlQYDYLRSL sKYYGYGAGS
 ht..DT... ..LSPF CALS..TqEE WqaYDYQSL gKYYGnGGGN
 PvlfPrQ... ..LSPF CHLF..TADD WmaYDYyTL dKYYSHGGGS
 SsdpATadag ggngprLSPF CrLF..SEsE WraYDYLRSLV gKWYGYGPGN

Consensus Seq. 11

SD--ATQ--- -LSPF CDLF--TADe W-QYDYLRSL -KYYGYGAGN

P. involutus (phyA1)
P. involutus (phyA2)
T. pubescens
A. pediades
P. lycii
A. terreus 9a1
A. terreus cbs
A. niger var. *awamori*
A. niger T213
A. niger NRRL3135
A. fumigatus ATCC13073
A. fumigatus ATCC32722
A. fumigatus ATCC58128
A. fumigatus ATCC26906
A. fumigatus ATCC32239
E. nidulans
T. thermophilus
T. lanuginosa
M. thermophila

Consensus Seq. 11

301
 eLGPvQGVGY vNELIARLTN S.AVRDNTqT NRTLDASpVT FPLNkTFYAD
 ALGPvQGVGY iNELLARLTN S.AVNDNTqT NRTLDAaPDT FPLNkTMYAD
 PLGPvQGVGY iNELIARLTa q.nVsDHTqT NsTLDSsPET FPLNrTLYAD
 PLGPvQGVGY iNELLARLTm m.PVRDNTqT NRTLDSSpIT FPLDrSIYAD
 ALGPvQGVGY vNELLARLTg q.AVRDETqT NRTLDSDPAT FPLNrTFYAD
 PLGPvQGVGY aNELMARLTv A.PVHDHTCv NNTLDASPAT FPLNATLYAD
 PLGPvQGVGY aNELIARLTR S.PVHDHTCv NNTLDANPAT FPLNATLYAD
 PLGPTQGVGY aNELIARLTH S.PVHDDTSS NHTLDSNPAT FPLNSTLYAD
 PLGPTQGVGY aNELIARLTH S.PVHDDTSS NHTLDSNPAT FPLNSTLYAD
 PLGPTQGVGY aNELIARLTH S.PVHDDTSS NHTLDSNPAT FPLNSTLYAD
 PLGPAQGIGF tNELIARLTR S.PVQDHTST NsTLvSNPAT FPLNATMYvD
 PLGPAQGIGF tNELIARLTR S.PVQDHTST NsTLvSNPAT FPLNATMYvD
 PLGPAQGIGF tNELIARLTR S.PVQDHTST NsTLvSNPAT FPLNATMYvD
 PLGPAQGIGF tNELIARLTR S.PVQDHTST NsTLvSNPAT FPLNATMYvD
 PLGPAQGIGF tNELIARLTN S.PVQDHTST NsTLvSNPAT FPLNATMYvD
 PLGPAQGIGF tNELIARLTQ S.PVQDHTST NHTLDSNPAT FPLDrkLYAD
 PLGPAQGVGF vNELIARMTg NlPVKDHTT NHTLDnNPET FPLDAvLYAD
 AFGPSRGVGF vNELIARMTg NlPVKDHTT NHTLDnNPET FPLDAvLYAD
 PLGPTQGVGF vNELLARLA. GvPVRDgTST NRTLDGDPt FPLGrPLYAD

PLGPAQGVGF -NELIARLTH S-PVQDHTST NHTLDSNPAT FPLNATLYAD

P. involutus (phyA1)
P. involutus (phyA2)
T. pubescens
A. pediades
P. lycii
A. terreus 9a1
A. terreus cbs
A. niger var. *awamori*
A. niger T213
A. niger NRRL3135
A. fumigatus ATCC13073
A. fumigatus ATCC32722
A. fumigatus ATCC58128
A. fumigatus ATCC26906
A. fumigatus ATCC32239
E. nidulans
T. thermophilus
T. lanuginosa
M. thermophila

Consensus Seq. 11

351
 FSHDNlMVAV FsAMGLFrqP aPLSTsvNP wrt....Wr TSSlVPFSGR
 FSHDNlMVAV FsAMGLFrqS aPLSTSTpDP nrt....Wl TSSvVPFSAR
 FSHDNqMVAI FsAMGLFNqS aPLdPTTpDP art....Fl vkkivPFSAR
 LSHDNqMIAI FsAMGLFNqS sPLdPSfpNP krt....Wv TSRLtPFSAR
 FSHDNtMVPI FaALGLFNAT a.LdPlkpDe nrl....Wv DSKlVPFSGH
 FSHDSnLVSI FWALGLYNGT aPLSqtSVES Vs..QTDGYA AAWTVPFAAR
 FSHDSnLVSI FWALGLYNGT KPLSqtTTVED It..rTDGYA AAWTVPFAAR
 FSHDNGIISI LFALGLYNGT KPLSTTTVEN It..QTDGFS SAWTVPFAAR
 FSHDNGIISI LFALGLYNGT KPLSTTTVEN It..QTDGFS SAWTVPFAAR
 FSHDNGIISI LFALGLYNGT KPLSTTTVEN It..QTDGFS SAWTVPFAAR
 FSHDnSMVSI FFALGLYNGT EPLSrtSVES ak..ElDGYS ASWvVPFGAR
 FSHDnSMVSI FFALGLYNGT gPLSrtSVES ak..ElDGYS ASWvVPFGAR
 FSHDnSMVSI FFALGLYNGT EPLSrtSVES ak..ElDGYS ASWvVPFGAR
 FSHDnSMVSI FFALGLYNGT EPLSrtSVES ak..ElDGYS ASWvVPFGAR
 FSHDNGMIPI FFAMGLYNGT EPLSqtSeES tk..ESNGYS ASWAVPFGAR
 FSHDnSMISI FFAMGLYNGT QPLSmdSVES Iq..EmDGYA ASWTVPFGAR
 FSHDNTMtSI FaALGLYNGT akLSTTeIKS Ie..ETDGYS AAWTVPFGGR
 FSHDNTMtGI FsAMGLYNGT KPLSTSKIQP ptgaAADGYA ASWTVPFAAR
 FSHDnMMGV LgALGaYDgV pPLdkTarrd ..peElGGYA ASWAVPFAAR

FSHDNTMVSI FFALGLYNGT KPLSTTSVES I---ETDGYA ASWTVPFAAR

P. involutus (phyA1)
P. involutus (phyA2)
T. pubescens

401
 mvVERLsC.. fGt.....Tk VRVLVQDQVq PLEfCGgDRn
 maVERLsC.. AGt.....Tk VRVLVQDQVq PLEfCGgDQd
 mvVERLDC.. GGa.....Qs VRLLVNDaVq PLafCGaDts

Fig. 8C

18/32

<i>A. pediades</i>	mvtErLlCQr	DGtGsGGpsr	imrNgnvQTF	VRILVNDaLq	PLkfCGgDmd
<i>P. lycii</i>	mtVEKLaC..sgKea	VRVLVNDaVq	PLefCGg.vd	
<i>A. terreus</i> 9a1	AYVEMMQCrAEK...	EPL VRVLVNDVRM	PLHGCPtDKL	
<i>A. terreus</i> cbs	AYIEMMQCrAEK...	QPL VRVLVNDVRM	PLHGCAVDNL	
<i>A. niger</i> var. <i>awamori</i>	1YVEMMQCQAEQ...	EPL VRVLVNDVRV	PLHGCPIDaL	
<i>A. niger</i> T213	1YVEMMQCQAEQ...	EPL VRVLVNDVRV	PLHGCPIDaL	
<i>A. niger</i> NRRL3135	1YVEMMQCQAEQ...	EPL VRVLVNDVRV	PLHGCPIDaL	
<i>A. fumigatus</i> ATCC13073	AYfEtMQCKSEK...	EPL VRaLINDRVV	PLHGCDVDKL	
<i>A. fumigatus</i> ATCC32722	AYfEtMQCKSEK...	EPL VRaLINDRVV	PLHGCDVDKL	
<i>A. fumigatus</i> ATCC58128	AYfEtMQCKSEK...	ESL VRaLINDRVV	PLHGCDVDKL	
<i>A. fumigatus</i> ATCC26906	AYfEtMQCKSEK...	EPL VRaLINDRVV	PLHGCDVDKL	
<i>A. fumigatus</i> ATCC32239	AYfEtMQCKSEK...	EPL VRaLINDRVV	PLHGCAVDKL	
<i>E. nidulans</i>	AYfELMQCE.KK...	EPL VRVLVNDRVV	PLHGCAVDKF	
<i>T. thermophilus</i>	AYIEMMQCDDsD...	EPV VRVLVNDRVV	PLHGCEVDSL	
<i>T. lanuginosa</i>	AYVELLRcET	ETsSeEEeEG	..ED...EPF	VRVLVNDRVV	PLHGCrVDRW
<i>M. thermophila</i>	iYVEkMRCsG	GGgGgGGgEG	..rQekdEeM	VRVLVNDRVV	TLkGCGaDER
Consensus Seq. 11	AYVEMMQCEA	GG-G-GG-EG	--EK---EPL	VRVLVNDRVV	PLHGCGVDKL

	451	482	
<i>P. involutus</i> (phyA1)	GlCtLAKFVE	SqTFARSDga	GDFEKCFats a-
<i>P. involutus</i> (phyA2)	GlCaLDKFVE	SqAYARSGga	GDFEKCLAtt v-
<i>T. pubescens</i>	GvCtLDAFVE	SqAYARNDge	GDFEKCFat-- --
<i>A. pediades</i>	SlCtLEAFVE	SqkYAReDgq	GDFEKCFD-- --
<i>P. lycii</i>	GvCELSAFVE	SqTYAReNgq	GDFAKCGfvp se
<i>A. terreus</i> 9a1	GRCKrDAFVA	GLSFAQAG..	GNWADCF--- --
<i>A. terreus</i> cbs	GRCKrDDFVE	GLSFARAG..	GNWAECF--- --
<i>A. niger</i> var. <i>awamori</i>	GRCtrDsFVr	GLSFARSG..	GDWAECsA-- --
<i>A. niger</i> T213	GRCtrDsFVr	GLSFARSG..	GDWAECFA-- --
<i>A. niger</i> NRRL3135	GRCtrDsFVr	GLSFARSG..	GDWAECFA-- --
<i>A. fumigatus</i> ATCC13073	GRCKLNDFVK	GLSWARSG..	GNWGECSF-- --
<i>A. fumigatus</i> ATCC32722	GRCKLNDFVK	GLSWARSG..	GNWGECSF-- --
<i>A. fumigatus</i> ATCC58128	GRCKLNDFVK	GLSWARSG..	GNWGECSF-- --
<i>A. fumigatus</i> ATCC26906	GRCKLNDFVK	GLSWARSG..	GNWGECSF-- --
<i>A. fumigatus</i> ATCC32239	GRCKLKDFVK	GLSWARSG..	GNSEQSFS-- --
<i>E. nidulans</i>	GRCTLDDWVE	GLNFARSG..	GNWktCFTl-- --
<i>T. thermophilus</i>	GRCKrDDFVr	GLSFARqG..	GNWEGCYAas e-
<i>T. lanuginosa</i>	GRCRrDEWIK	GLTFARqG..	GHWDrCF--- --
<i>M. thermophila</i>	GmCtLErFIE	SMAFARGN..	GKWDlCFA-- --
Consensus Seq. 11	GRCKLDDFVE	GLSFARSG--	GNWAECFA-- --

Fig. 8D

19/32

M G V F V V L L S I A T L F G S T S G T 20
ATGGGCGGTGTTTCGTGCTACTGTCCATTGCCACCTTGTTCCGGTTCACATCCGGTACC 60
1 -----+-----+-----+-----+-----+-----+-----+-----
TACCCGCACAAGCAGCAGCATGACAGGTAACGGTGGAACAAGCCAAGGTGTAGGCCATGG
A L G P R G N S H S C D T V D G G Y Q C 40
GCCITGGGTCTCGTGGTAATTCTCACTCTTGTGACACTGTTGACGGTGGTTACCAATGT
61 -----+-----+-----+-----+-----+-----+-----+-----
CGGAACCCAGGAGCACCATTAAAGAGTGAGAACACTGTGACAACTGCCACCAATGGTTACA
F P E I S H L W G T Y S P Y F S L A D E 60
TTCACAGAAATTTCTCACTTGTGGGTACCTACTCTCCATACTTCTCTTTGGCAGACGAA
121 -----+-----+-----+-----+-----+-----+-----+-----
AAGGGTCTTTAAAGAGTGAAACACCCCATGGATGAGAGGTATGAAGAGAAACCGTCTGCTT
S A I S P D V P D D C R V T F V Q V L S 80
TCTGCTATTTCTCCAGACGTTCCAGACGACTGTAGAGTTACTTTCTGTTCAAGTTTGTCT
187 -----+-----+-----+-----+-----+-----+-----+-----
AGACGATAAAGAGGTCTGCAAGGTCTGCTGACATCTCAATGAAAGCAAGTTCAAAACAGA
R H G A R Y P T S S A S K A Y S A L I E 100
AGACACGGTGCTAGATACCCAACTTCTTCTGCGTCTAAGGCTTACTCTGCTTTGATTGAA
241 -----+-----+-----+-----+-----+-----+-----+-----
TCTGTGCCACGATCTATGGGTTGAAGAAGACGCAGATTCCGAATGAGACGAACTAACTT
A I Q K N A T A F K G K Y A F L K T Y N 120
GCTATTCAAAGAAGCTACTGCTTTCAAGGGTAAGTACGCTTTCTTGAAGACTTACAAC
301 -----+-----+-----+-----+-----+-----+-----+-----
CGATAAGTTTTCTTGCATGACGAAAGTTCCCATTCATGCGAAAGAATTCTGAATGTTG
Y T L G A D D L T P F G E N Q M V N S G 140
TACACTTTGGGTGCTGACGACTTGACTCCATTCCGGTGAAAACCAAATGGTTAACTCTGGT
361 -----+-----+-----+-----+-----+-----+-----+-----
ATGTGAAACCCACGACTGCTGAACTGAGGTAAGCCACTTTTGGTTTACCAATTGAGACCA
I K F Y R R Y K A L A R K I V P F I R A 160
ATTAAGTTCTACAGAAGATACAAGGCTTTGGCTAGAAAGATTGTTCCATTATTAGAGCT
421 -----+-----+-----+-----+-----+-----+-----+-----
TAATTCAGATGTCTTCTATGTTCCGAAACCGATCTTCTAACAAGGTAAGTAATCTCGA
S G S D R V I A S A E K F I E G F Q S A 180
TCTGGTTCTGACAGAGTTATTGCTTCTGCTGAAAAGTTCATTGAAGGTTTCCAATCTGCT
481 -----+-----+-----+-----+-----+-----+-----+-----
AGACCAAGACTGTCTCAATAACGAAGACGACTTTTCAAGTAACCTTCAAAGGTTAGACGA
K L A D P G S Q P H Q A S P V I N V I I 200
AAGTTGGCTGACCCAGGTTCTCAACCACACCAAGCTTCTCCAGTTATTAACGTGATCATT
541 -----+-----+-----+-----+-----+-----+-----+-----
TTCAACCGACTGGGTCCAAGAGTTGGTGTGGTTCGAAGAGGTCAATAATTGCACTAGTAA
P E G S G Y N N T L D H G T C T A F E D 220
CCAGAAGGATCCGGTTACAACAACACTTTGGACCACGGTACTTGTACTGCTTTTGAAGAC
601 -----+-----+-----+-----+-----+-----+-----+-----
GGTCTTCCTAGGCCAATGTTGTTGTGAAACCTGGTGCCATGAACATGACGAAAGCTTCTG

Fig. 9A

20/32

S E L G D D V E A N F T A L F A P A I R 240
TCTGAATTAGGTGACGACGTTGAAGCTAACTTCACTGCTTTGTTGCTCCAGCTATTAGA
661 ---+-----+-----+-----+-----+-----+-----+----- 720
AGACTTAATCCACTGCTGCAACTTCGATTGAAGTGACGAAACAAGCGAGGTCGATAATCT

A R L E A D L P G V T L T D E D V V Y L 260
GCTAGATTGGAAGCTGACTTGCCAGGTGTTACTTTGACTGACGAAGACGTTGTTTACTTG
721 ---+-----+-----+-----+-----+-----+-----+----- 780
CGATCTAACCTTCGACTGAACGGTCCACAATGAACTGACTGCTTCTGCAACAAATGAAC

M D M C P F D T V A R T S D A T E L S P 280
ATGGACATGTGTCCATTGACACTGTCGCTAGAACTTCTGACGCTACTGAATTGTCTCCA
781 ---+-----+-----+-----+-----+-----+-----+----- 840
TACCTGTACACAGGTAAGCTGTGACAGCGATCTTGAAGACTGCGATGACTTAACAGAGGT

F C A L F T H D E W I Q Y D Y L Q S L G 300
TTCTGTGCTTTGTTCACTCACGACGAATGGATCCAATACGACTACTTGCAAAGCTTGGGT
841 ---+-----+-----+-----+-----+-----+-----+----- 900
AAGACACGAAACAAGTGAGTGCTGCTTACCTAGGTTATGCTGATGAACGTTTCGAACCCA

K Y Y G Y G A G N P L G P A Q G V G F A 320
AAGTACTACGTTACGGTGCTGGTAACCCATTGGGTCCAGCTCAAGGTGTTGGTTTCGCT
901 ---+-----+-----+-----+-----+-----+-----+----- 960
TTCATGATGCCAATGCCACGACCATTGGGTAACCCAGGTGAGTTCCACAACCAAAGCGA

N E L I A R L T H S P V Q D H T S T N H 340
AACGAATTGATTGCTAGATTGACTCACTCTCCAGTTCAAGACCACACTTCTACTAACCAC
961 ---+-----+-----+-----+-----+-----+-----+----- 1020
TTGCTTAACCTAACGATCTAACTGAGTGAGAGGTCAAGTTCTGGTGTGAAGATGATTGGTG

T L D S N P A T F P L N A T L Y A D F S 360
ACTTTGGACTCTAACCAGCTACTTTCCCATTTGAACGCTACTTTGTACGCTGACTTCTCT
1021 ---+-----+-----+-----+-----+-----+-----+----- 1080
TGAAACCTGAGATTGGGTGCGATGAAAGGGTAACCTTGCATGAAACATGCGACTGAAGAGA

H D N T M I S I F F A L G L Y N G T K P 380
CACGACAACACTATGATATCTATTTTCTTCGCTTTGGGTTTGTACAACGGTACCAAGCCA
1081 ---+-----+-----+-----+-----+-----+-----+----- 1140
GTGCTGTTGTGATACTATAGATAAAAGAAGCGAAACCCAAACATGTTGCCATGGTTTCGGT

L S T T S V E S I E E T D G Y S A S W T 400
TTGTCTACTACTTCTGTTGAATCTATTGAAGAACTGACGGTTACTCTGCTTCTTGGACT
1141 ---+-----+-----+-----+-----+-----+-----+----- 1200
AACAGATGATGAAGACAACCTTAGATAACTTCTTTGACTGCCAATGAGACGAAGAACCTGA

V P F A A R A Y V E M M Q C Q A E K E P 420
GTTCCATTGCTGCTAGAGCTTACGTTGAAATGATGCAATGTCAAGCTGAAAAGGAACCA
1201 ---+-----+-----+-----+-----+-----+-----+----- 1260
CAAGGTAAGCGACGATCTCGAATGCAACTTTACTACGTTACAGTTTCGACTTTTCCTTGGT

L V R V L V N D R V V P L H G C A V D K 440
TTGGTTAGAGTTTGGTTAACGACAGAGTTGTTCATTGCACGGTTGTGCTGTTGACAAG
1261 ---+-----+-----+-----+-----+-----+-----+----- 1320
AACCAATCTCAAAACCAATTGCTGTCTCAACAAGGTAACGTGCCAACACGACAACCTGTTT

L G R C K R D D F V E G L S F A R S G G 460

Fig. 9B

21/32

```
TTGGGTAGATGTAAGAGAGACGACTTCGTTGAAGGTTTGTCTTTCGCTAGATCTGGTGGT
1321 ----+-----+-----+-----+-----+-----+----- 1380
AACCCTATCTACATTCTCTGCTGAAGCAACTTCAAACAGAAAGCGATCTAGACCACCA

N W A E C F A * 467
AACTGGGCTGAATGTTTCGCTTAA
1381 ----+-----+-----+ 1410
TTGACCCGACTTACAAAGCGAATT
```

Fig. 9C

22/32

M G V F V V L L S I A T L F G S T S G T 20
ATGGGCGTGTTCGTGCTACTGTCCATTGCCACCTTGTTCGGTTCACATCCGGTACC
1 -----+-----+-----+-----+-----+-----+ 60
TACCCGCACAAGCAGCACGATGACAGGTAACGGTGAACAAGCCAAGGTGTAGGCCATGG
A L G P R G N S H S C D T V D G G Y Q C 40
GCCTTGGGTCCCTCGTGGTAACTCTCACTCTTGTGACACTGTTGACGGTGGTTACCAATGT
61 -----+-----+-----+-----+-----+-----+ 120
CGGAACCCAGGAGCACCATTGAGAGTGAGAACACTGTGACAACCTGCCACCAATGGTTACA
F P E I S H L W G T Y S P F F S L A D E 60
TTCCCAGAAATTTCTCACTTGTGGGTACATACTCTCCATTCTTCTCTTTGGCTGACGAA
121 -----+-----+-----+-----+-----+-----+ 180
AAGGGTCTTTAAAGAGTGAACACCCCATGTATGAGAGGTAAGAAGAGAAACCGACTGCTT
S A I S P D V P K G C R V T F V Q V L S 80
TCTGCTATTTCTCCAGACGTTCCAAAGGGTGTAGAGTTACTTTCGTTCAAGTTTGTCT
181 -----+-----+-----+-----+-----+-----+ 240
AGACGATAAAGAGGTCTGCAAGGTTTCCCAACATCTCAATGAAAGCAAGTTCAAACAGA
R H G A R Y P T S S A S K A Y S A L I E 100
AGACACGGTGCTAGATACCCAACTTCTTCTGCGTCTAAGGCGTACTCTGCTTTGATTGAA
241 -----+-----+-----+-----+-----+-----+ 300
TCTGTGCCACGATCTATGGGTGAAGAAGACGCAGATTCCGCATGAGACGAAACTAAGTT
A I Q K N A T A F K G K Y A F L K T Y N 120
GCTATTCAAAGAAGCTACTGCTTTCAAGGTAAGTACGCTTTCTGAAGACTTACAAC
301 -----+-----+-----+-----+-----+-----+ 360
CGATAAGTTTCTTGCATGACGAAAGTTCCCATTCATGCGAAGAAGTCTGAATGTTG
Y T L G A D D L T P F G E Q Q M V N S G 140
TACACTTTGGGTGCTGACGACTTGACTCCATTCCGGTGAACAACAAATGGTTAACTCTGGT
361 -----+-----+-----+-----+-----+-----+ 420
ATGTGAACCCACGACTGCTGAACTGAGGTAAGCCACTTGTGTTTACCAATTGAGACCA
I K F Y R R Y K A L A R K I V P F I R A 160
ATTAAGTTCTACAGAAGATAACAAGGCTTTGGCTAGAAAGATTGTTCCATTCAATAGAGCT
421 -----+-----+-----+-----+-----+-----+ 480
TAATTCAAGATGTCTTCTATGTTCCGAAACCGATCTTTCTAACAAGGTAAGTAATCTCGA
S G S D R V I A S A E K F I E G F Q S A 180
TCTGGTTCTGACAGAGTTATTGCTTCTGCTGAAAAGTTCAATGAAGGTTTCCAATCTGCT
481 -----+-----+-----+-----+-----+-----+ 540
AGACCAAGACTGTCTCAATAACGAAGACGACTTTTCAAGTAACTTCAAAGGTTAGACGA
K L A D P G A N P H Q A S P V I N V I I 200
AAGTTGGCTGACCCAGGTGCTAACCCACACCAAGCTTCTCCAGTTATTAACGTTATTATT
541 -----+-----+-----+-----+-----+-----+ 600
TTCAACCGACTGGGTCCACGATTGGGTGTGGTTCGAAGAGGTCAATAATTGCAATAATAA
P E G A G Y N N T L D H G L C T A F E E 220
CCAGAAGGTGCTGGTTACAACAACACTTTGGACCACGGTTTGTGTACTGCTTTTGAAGAA
601 -----+-----+-----+-----+-----+-----+ 660
GGTCTTCCACGACCAATGTTGTGTGAACCTGGTGCCAAACACATGACGAAAGCTTCTT

Fig. 10A

23/32

S E L G D D V E A N F T A V F A P P I R 240
TCTGAATTGGGTGACGACGTTGAAGCTAAGTCTGCTGTTTTTCGCTCCACCAATTAGA
661 -----+-----+-----+-----+-----+ 720
AGACTTAACCCACTGCTGCAACTTCGATTGAAGTGACGACAAAAGCGAGGTGGTTAATCT

A R L E A H L P G V N L T D E D V V N L 260
GCTAGATTGGAAGCTCACTTGCCAGGTGTTAACTTGACTGACGAAGACGTTGTTAACTTG
721 -----+-----+-----+-----+-----+ 780
CGATCTAACCTTCGAGTGAAACGGTCCACAATTGAACTGACTGCTTCTGCAACAATTGAAC

M D M C P F D T V A R T S D A T Q L S P 280
ATGGACATGTGTCCATTGACACTGTTGCTAGAAGTCTGACGCTACTCAATTGTCTCCA
781 -----+-----+-----+-----+-----+ 840
TACCTGTACACAGGTAAGCTGTGACAACGATCTTGAAGACTGCGATGAGTTAACAGAGGT

F C D L F T H D E W I Q Y D Y L Q S L G 300
TTCTGTGACTTGTTCACCTCACGACGAATGGATTCAATACGACTACTTGCAATCTTGGGT
841 -----+-----+-----+-----+-----+ 900
AAGACACTGAACAAGTGAGTGCTGCTTACCTAAGTTATGCTGATGAACGTTAGAAACCCA

K Y Y G Y G A G N P L G P A Q G V G F V 320
AAGTACTACGGTTACGGTGCTGGTAACCCATTGGGTCCAGCTCAAGGTGTTGGTTTCGTT
901 -----+-----+-----+-----+-----+ 960
TTCATGATGCCAATGCCACGACCATTGGGTAAACCCAGGTGAGTTCCACAACCAAAGCAA

N E L I A R L T H S P V Q D H T S T N H 340
AACGAATTGATTGCTAGATTGACTCACTCTCCAGTTCAAGACCACACTTCTACTAACCCAC
961 -----+-----+-----+-----+-----+ 1020
TTGCTTAACCTAACGATCTAACTGAGTGAGAGGTCAAGTTCTGGTGTGAAGATGATTGGTG

T L D S N P A T F P L N A T L Y A D F S 360
ACTTTGGACTCTAACCCAGCTACTTTCCCATTTGAACGCTACTTTGTACGCTGACTTCTCT
1021 -----+-----+-----+-----+-----+ 1080
TGAAACCTGAGATTGGGTGATGAAAGGGTAAGTTCGATGAAACATGCGACTGAAGAGA

H D N T M V S I F F A L G L Y N G T K P 380
CACGACAACACTATGGTTTCTATTTCTTCGCTTTGGGTTTGTACAACGGTACTAAGCCA
1081 -----+-----+-----+-----+-----+ 1140
GTGCTGTTGTGATACCAAGATAAAAGAAGCGAAACCCAAACATGTTGCCATGATTCGGT

L S T T S V E S I E E T D G Y S A S W T 400
TTGTCTACTACTTCTGTTGAATCTATTGAAGAACTGACGGTTACTCTGCTTCTTGGACT
1141 -----+-----+-----+-----+-----+ 1200
AACAGATGATGAAGACAACCTTAGATAACTTCTTTGACTGCCAATGAGACGAAGAACCTGA

V P F A A R A Y V E M M Q C E A E K E P 420
GTTCCATTGCTGCTAGAGCTTACGTTGAAATGATGCAATGTGAAGCTGAAAAGGAACCA
1201 -----+-----+-----+-----+-----+ 1260
CAAGGTAAGCGACGATCTCGAATGCAACTTTACTACGTTTACTTCTGACTTTTCTTGGT

L V R V L V N D R V V P L H G C G V D K 440
TTGTTAGAGTTTTGGTTAACGACAGAGTTGTTCCATTGCACGGTTGTGGTGTGACAAG
1261 -----+-----+-----+-----+-----+ 1320
AACCAATCTCAAACCAATTGCTGTCTCAACAAGGTAACGTGCCAACACCACAACCTGTTCT

L G R C K R D D F V E G L S F A R S G G 460

Fig. 10B

24/32

```
TTGGGTAGATGTAAGAGAGACGACTTCGTTGAAGGTTTGTCTTTCGCTAGATCTGGTGGT
1321 -----+-----+-----+-----+-----+ 1380
AATCCATCTACATTCTCTCTGCTGAAGCAACTTCCAAACAGAAAGCGATCTAGACCACCA

N W E E C F A * 467
AACTGGGAAGAATGTTTCGCTTAA
1381 -----+-----+----- 1404
TTGACCCTTCTTACAAAGCGAATT
```

Fig. 10C

25/32

M G V F V V L L S I A T L F G S T S G T 20
ATGGGGGTTTTTCGTCGTTCTATTATCTATCGCGACTCTGTTCCGGCAGCACATCGGGCACT
1 -----+-----+-----+-----+-----+-----+ 60
TACCCCCAAAAGCAGCAAGATAATAGATAGCGCTGAGACAAGCCGTCGTGTAGCCCGTGA
A L G P R G N H S K S C D T V D L G Y Q 40
GCGCTGGGCCCCCGTGGAAATCACTCCAAGTCCTGCGATACGGTAGACCTAGGGTACCAG -
61 -----+-----+-----+-----+-----+-----+ 120
CGCGACCCGGGGGCACCTTTAGTGAGGTTCAAGACGCTATGCCATCTGGATCCCATGGTC
C S P A T S H L W G T Y S P Y F S L E D 60
TGCTCCCTGCGACTTCTCATCTATGGGGCAGTACTCGCCATACTTTTCGCTCGAGGAC
121 -----+-----+-----+-----+-----+-----+ 180
ACGAGGGGACGCTGAAGAGTAGATACCCCGtGcATGAGCGGTatGAAAAGCGAGCTCCTG
E L S V S S K L P K D C R I T L V Q V L 80
GAGCTGTCCGTGTCGAGTAAGCTTCCCAAGGATTGCCGGATCACCTTGGTACAGGTGCTA
181 -----+-----+-----+-----+-----+-----+ 240
CTCGACAGGCACAGCTCATTCGAAGGGTTCCTAACGGCCTAGTGAACCATGTCCACGAT
S R H G A R Y P T S S K S K K Y K K L I 100
TCGCGCCATGGAGCGCGGTACCCAACAGCTCCAAGAGCAAAAAGTATAAGAAGCTTaTt
241 -----+-----+-----+-----+-----+-----+ 300
AGCGCGGTACCTCGCGCCATGGGTGGTTCGAGGTTCTCGTTTTTCATATTCTTCGAAtAa
T A I Q A N A T D F K G K X A F L K T Y 120
ACGGCGATCCAGGCCAATGCCACCGACTTCAAGGGCAAGTAcGCCTTTTTGAAGACGTAC
301 -----+-----+-----+-----+-----+-----+ 360
TGCCGCTAGGTCCGGTTACGGTGGCTGAAGTTCCTGTTcATgCGGAAAAAATTCTGCATG
N Y T L G A D D L T P F G E Q Q L V N S 140
AACTATACTCTGGGTGCGGATGACCTCACTCCCTTTGGGGAGCAGCAGCTGGTGAACCTG
361 -----+-----+-----+-----+-----+-----+ 420
TTGATATGAGACCCACGCTACTGGAGTGAGGGAAACCCCTCGTCGTCGACCACTTGAGC
G I K F Y Q R Y K A L A R S V V P F I R 160
GGCATCAAGTTCTACCAGAGGTACAAGGCTCTGGCGCGCAGTGTTGGTCCGTTTATTTCGC
421 -----+-----+-----+-----+-----+-----+ 480
CCGTAGTTCAAGATGGTCTCCATGTTCCGAGACCGCGCTCACACCACGGCAAATAAGCG
A S G S D R V I A S G E K F I E G F Q Q 180
GCCTCAGGCTCGGACCGGTTATTGCTTCGGGAGAGAAGTTCATCGAGGGGTTCCAGCAG
481 -----+-----+-----+-----+-----+-----+ 540
CGGAGTCCGAGCCTGGCCCAATAACGAAGCCCTCTCTTCAAGTAGCTCCCCAAGGTCGTC
A K L A D P G A T N R A A P A I S V I I 200
GCGAAGCTGGCTGATCCTGGCGCGACGAACCGCGCGCTCCGCGGATTAGTGTGATTATT
541 -----+-----+-----+-----+-----+-----+ 600
CGCTTCGACCGACTAGGACCGCGCTGCTTGGCGGGCGAGGCCGCTAATCACACTAATAA
P E S E T F N N T L D H G V C T K F E A 220
CCGGAGAGCGAGACGTTCAACAATACGCTGGACCACGGTGTGTGCACGAAGTTTGAGGCG
601 -----+-----+-----+-----+-----+-----+ 660
GGCCTCTCGCTCTGCAAGTTGTTATGCGACCTGGTGCCACACACGTGCTTCAAACCTCCGC

Fig. 11A

26/32

20702

S Q L G D E V A A N F T A L F A P D I R 240
AGTCAGCTGGGAGATGAGGTTCGCCCAATTCTACTGCCTTCTTGACCCCGACATCCGA
661 -----+-----+-----+-----+-----+ 720
TCAGTCGACCCTCTACTCCAACGCCGGTTAAAGTGACGCGAGAACGTGGGCTGTAGGCT

A R L E K H L P G V T L T D E D V V S L 260
GCTCGCctCGAGAAGCATCTTCCTGGCGTGACGCTGACAGACGAGGACGTTGTcAGTCTA
721 -----+-----+-----+-----+-----+ 780
CGAGCGgaGCTCTTCGTAGAAGGACCGCACTGCGACTGTCTGCTCCTGCAACAGTCAGAT

M D M C E F D T V A R T S D A S Q L S P 280
ATGGACATGTGTcCGTTTGATACGGTAGCGCGCACCGACGCAAGTCAGCTGTcACCG
781 -----+-----+-----+-----+-----+ 840
TACCTGTACACAGGCAAATATGCCATCGCGCTGGTCGCTGCGTTCAGTCGACAGTGGC

F C Q L F T H N E W K K Y D Y L Q S L G 300
TTCTGTCAACTCTTCACTCACAATGAGTGGAAGAAGTAcTA cTACTCCTTGGGGC
841 -----+-----+-----+-----+-----+ 900
AAGACAGTTGAGAAGTGAGTGTTACTCACCTTCTTCATGcTGATGGAAGTCAGGAACCCC

K Y Y G Y G A G N P L G P A Q G I G F T 320
AAGTACTACGGCTACGGCGCAGGCAACCTCTGGGACCGGCTCAGGGGATAGGGTTcACC
901 -----+-----+-----+-----+-----+ 960
TTCATGATGCCGATGCCCGCTCCGTTGGGAGACCCTGGCCGAGTCCCCcTATCCCAAGTGG

N E L I A R L T R S P V Q D H T S T N S 340
AACGAGCTGATTGCCCCGTTGACgCGTTCGCCAGTGcAGGACCACACCAGCACTAActCG
961 -----+-----+-----+-----+-----+ 1020
TTGCTCGACTAACGGGCAACTGcGCAAGCGGTcACGTCTGGTGTGGTcGTGATTGAGC

T L V S N P A T F P L N A T M Y V D F S 360
ACTCTAGTCTCCAACCCGGCCACCTTCCCGTTGAACGCTACCATGTACGTcGACTTTTTCA
1021 -----+-----+-----+-----+-----+ 1080
TGAGATCAGAGGTTGGGCCGGTGAAGGGCAACTTGCGATGGTACATGCAGCTGAAAAGT

H D N S M V S I F F A L G L Y N G T E P 380
CACGACAACAGCATGGTTTCCATCTTCTTTGCATTGGGCCTGTACAAcCGGCACTGAACCC
1081 -----+-----+-----+-----+-----+ 1140
GTGCTGTTGTcGTACCAAGGTAGAAGAAACGTAAccCGGACATGTTGCCGTGACTTGGG

L S R T S V E S A K E L D G Y S A S W V 400
TTGTCCCGGACCTCGGTGGAAAGCGCCAAGGAATTGGATGGGTATTCTGCATCCTGGGTG
1141 -----+-----+-----+-----+-----+ 1200
AACAGGGCCTGGAGCCACCTTTTCGCGGTTCTTAACCTACCATAAGACGTAGGACCCAC

V P F G A R A Y F E T M Q C K S E K E P 420
GTGCCTTTTCGGCGCGGAGCCTACTTCGAGACGATGCAATGCAAGTCGGAaAGGAGCCT
1201 -----+-----+-----+-----+-----+ 1260
CACGGAAAGCCGCGCTCGGATGAAGCTCTGCTACGTTACGTTcAGCCTTTTCTCGGA

L V R A L I N D R V V P L H G C D V D K 440
CTTGTTcGCGCTTTGATTAATGACCGGGTTGTGCCACTGCATGGCTGCGATGTGGACAAG
1261 -----+-----+-----+-----+-----+ 1320
GAACAAGCGGAAACTAATTACTGGCCCAACACGGTGACGTACCGACGTACACCTGTTC

L G R C K L N D F V K G L S W A R S G G 460

Fig. 11B

27/32

```
CTGGGGCGATGCAAGCTGAATGACTTTGTCAAGGGATTGAGTTGGGCCAGATCTGGGGGC
1321 -----+-----+-----+-----+-----+ 1380
GACCCCGCTACGTTGACTTACTGAAACAGTTCCTAACTCAACCCGGTCTAGACCCCGG

N W G E C F S * 467
AACTGGGGAGAGTGCTTTAGTTGA
1381 -----+-----+----- 1404
TTGACCCCTCTCACGAAATCAACT
```

Fig. 11C

28/32

CP-1
Eco RI M G V F V V L L S I A T L F G S T
TATATGAATTCATGGGCGTGTTCGTGCTACTGTCCATTGCCACCTTGTTCCGGTCCA
1 -----+-----+-----+-----+-----+ 60
ATATACTTAAGTACCCGCACAAGCAGCAGATGACAGGTAACGGTGAACAAGCCAAGGT

S G T A L G P R G N S H S C D T V D G G
CATCCGGTACCGCCTTGGGTCTCGTGGTAATTCCTCACTCTTGTGACACTGTTGACGGTG
61 -----+-----+-----+-----+-----+ 120
GTAGGCCATGGCGGAACCCAGGAGCACCATTAAAGAGTGAGAACACTGTGACAACCTGCCAC
CP-2
CP-3
Y Q C F P E I S H L W G Q Y S P Y F S L
GTTACCAATGTTTCCAGAAATTTCTCACTTGTGGGGTCAATACTCTCCATACTTCTCTT
121 -----+-----+-----+-----+-----+ 180
CAATGGTTACAAAGGGTCTTTAAAGAGTGAACACCCCACTTATGAGAGGTATGAAGAGAA

E D E S A I S P D V P D D C R V T F V Q
TGGAAGACGAATCTGCTATTTCTCCAGACGTTCCAGACGACTGTAGAGTTACTTTCGTTT
181 -----+-----+-----+-----+-----+ 240
ACCTTCTGCTTAGACGATAAAGAGGTCTGCAAGGTCTGCTGACATCTCAATGAAAGCAAG
CP-4.7
CP-5.7
V L S R H G A R Y P T D S K G K K Y S A
AAGTTTTGTCTAGACACGGTGTCTAGATACCCAAGTgacTCTAAGggtAAGaagTACTCTG
241 -----+-----+-----+-----+-----+ 300
TTCAAAACAGATCTGTGCCACGATCTATGGGTGActgAGATTCCcaTTcttCATGAGAC

L I E A I Q K N A T A F K G K Y A F L K
CTTTGATTGAAGCTATTCAAAAGAACGCTACTGCTTTCAAGGGTAAGTACGCTTTCTTGA
301 -----+-----+-----+-----+-----+ 360
GAACTAACTTCGATAAGTTTTCTTTCGATGACGAAAGTTCCCATTCATGCGAAAGAAGT
CP-6
CP-7
T Y N Y T L G A D D L T P F G E N Q M V
AGACTTACAACCTACACTTGGGTGCTGACGACTTGACTCCATTTCGGTGAAAACCAAATGG
361 -----+-----+-----+-----+-----+ 420
TCTGAATGTTGATGTGAAACCCACGACTGCTGAACTGAGGTAAGCCACTTTTGGTTTACC

N S G I K F Y R R Y K A L A R K I V P F
TTAACTCTGGTATTAAGTTCTACAGAAGATACAAGGCTTTGGCTAGAAAGATTGTTCCAT
421 -----+-----+-----+-----+-----+ 480
AATTGAGACCATAATTCAAGATGTCTTCTATGTTCCGAAACCGATCTTTCTAACAAGGTA
CP-8.7
CP-9
I R A S G S S R V I A S A E K F I E G F
TCATTAGAGCTTCTGGTTCTtctAGAGTTATTGCTTCTGCTGAAAAGTTCATTGAAGGTT
481 -----+-----+-----+-----+-----+ 540
AGTAATCTCGAAGACCAAGAgaTCTCAATAACGAAGACGACTTTTCAAGTAACTTCCAA

Q S A K L A D P G S Q P H Q A S P V I D
TCCAATCTGCTAAGTTGGCTGACCCAGGTTCTCAACCACACCAAGCTTCTCCAGTTATTG
541 -----+-----+-----+-----+-----+ 600
AGGTTAGACGATTCAACCGACTGGGTCCAAGAGTTGGTGTGGTTCGAAGAGGTCAATAAC

Fig. 12A

29/32

CP-10.7CP-11.7

V I I S E A S S Y N N T L D R G T C T A
ACGTTATTATTtctGAcgctTCTtctTACAACAACACTTTGGACccaGGTACTTGTACTG
601 -----+-----+-----+-----+-----+-----+ 660
TGCAATAATAAagaCTgcgaAGGagaATGTTGTTGTGAAACCTGggtCCATGAACATGAC

Fig. 12B

30/32

F E D S E L A D T V E A N F T A L F A P
CTTTGGAAGACTCTGAATTGgctGACactGTTGAAGCTAACTTCACTGCTTTGTTGCTC
661 -----+-----+-----+-----+-----+ 720
GAAAGCTTCTGAGACTTAACcgaCTGtgaCAACTTCGATTGAAGTGACGAAACAAGCGAG
CP-12.7

A I R A R L E A D L P G V T L T D T E V
CAGCTATTAGAGCTAGATTGGAAGCTGACTTGCCAGGTGTTACTTTGACTGACactgaaG
721 -----+-----+-----+-----+-----+ 780
GTCGATAATCTCGATCTAACCTTCGACTGAACGGTCCACAATGAAACTGACTGtgacttc

CP-13.7
T Y L M D M C S F E T V A R T S D A T E
TTactTACTTGATGGACATGTGTtctTTGAAACTGTTGCTAGAACTTCTGACGCTACTG
781 -----+-----+-----+-----+-----+ 840
AatgaATGAACTACCTGTACACAagaAAGCTTTGACAACGATCTTGAAGACTGCGATGAC

L S P F C A L F T H D E W R H Y D Y L Q
AATGTCTCCATTCTGTGCTTTGTTCACTCAGACGAATGGAGAcactACGACTACTTGC
841 -----+-----+-----+-----+-----+ 900
TTAACAGAGGTAAGACACGAAACAAGTGAGTGCTGCTTACCTCTgtgATGCTGATGAACG
CP-14.7

CP-15.7
S L K K Y Y G H G A G N P L G P T Q G V
AATCTTTGaagAAGTACTACGGTcacGGTGCTGGTAACCCATTGGGTCCAactCAAGGTG
901 -----+-----+-----+-----+-----+ 960
TTAGAACTtctTCATGATGCCagtGCCACGACCATTTGGGTAACCCAGGTgaGTTCCAC

G F A N E L I A R L T R S P V Q D H T S
TTGGTTTCGCTAACGAATTGATTGCTAGATTGACTAGATCTCCAGTTCAAGACCACACTT
961 -----+-----+-----+-----+-----+ 1020
AACCAGCGATTGCTTAACCTAACGATCTAACTGATCTAGAGGTCAAGTTCTGGTGTGAA
CP-16

CP-17.7
T N H T L D S N P A T F P L N A T L Y A
CTACTAACACACTTTGGACTCTAACCCAGCTACTTTCCCATTTGAACGCTACTTTGTACG
1021 -----+-----+-----+-----+-----+ 1080
GATGATTGGTGTGAAACCTGAGATTGGGTGCGATGAAAGGTAACCTGCGATGAAACATGC

D F S H D N G I I S I F F A L G L Y N G
CTGACTTCTCTCAGACAACggtattATTTCTATTTTCTTCGCTTTGGGTTGTACAACG
1081 -----+-----+-----+-----+-----+ 1140
GACTGAAGAGAGTGCTGTTGccataaTAAAGATAAAAGAAGCGAAACCCAAACATGTTGC
CP-18.7

CP-19.7
T A P L S T T S V E S I E E T D G Y S S
GTACTGCTCCATTGTCTACTACTTCTGTTGAATCTATTGAAGAACTGACGGTACTCTt
1141 -----+-----+-----+-----+-----+ 1200
CATGACGAGGTAACAGATGATGAAGACAACCTTAGATAACTTCTTTGACTGCCAATGAGAA

A W T V P F A S R A Y V E M M Q C Q A E
ctgctTGGACTGTTCCATTGcttctAGAGCTTACGTTGAAATGATGCAATGTCAAGCTG
1201 -----+-----+-----+-----+-----+ 1260
gacgaACCTGACAAGGTAAGcgaagaTCTCGAATGCAACTTTACTACGTTACGTTTCGAC
CP-20

CP-21

Fig. 12C

31/32

K E P L V R V L V N D R V V P L H G C A
AAAAGGAACCATTGGTTAGAGTTTTGGTTAACGACAGAGTTGTTCCATTGCACGGTTGTG
1261 -----+-----+-----+-----+-----+ 1320
TTTTCCTTGGTAACCAATCTCAAAACCAATTGCTGTCTCAACAAGGTAACGTGCCAACAC

Fig. 12D

32/32

V D K L G R C K R D D F V E G L S F A R
CTGTTGACAAGTTGGGTAGATGTAAGAGAGACGACTTCGTTGAAGGTTTGTCTTTCGCTA
1321 -----+-----+-----+-----+-----+ 1380
GACAACTGTTCAACCCATCTACATTCTCTCTGCTGAAGCAACTTCCAAACAGAAAGCGAT
CP-22
S G G N W A E C F A * Eco RI
GATCTGGTGGTAACTGGGCTGAATGTTTCGCTTAAGAATTCATATA
1381 -----+-----+-----+-----+-----+ 1426
CTAGACCACCATTGACCCGACTTACAAAGCGAATTCTTAAGTATAT

Fig. 12E

1

INTERNATIONAL SEARCH REPORT

International application No.

PCT/DK 99/00154

A. CLASSIFICATION OF SUBJECT MATTER

IPC6: A23K 1/165, A01H 5/00, C12N 9/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: A23K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 9716981 A1 (GIST-BROCADES B.V.), 15 May 1997 (15.05.97), See Example 2, page 10; and the claims --	1-4
X	EP 0619369 A1 (AVEVE N.V.), 12 October 1994 (12.10.94), See page 5, lines 11-15; page 7, lines 1-3; and claims 20-21 --	1-14
X	EP 0682876 A1 (SOUFFLET ALLMENTAIRE), 22 November 1995 (22.11.95), See page 3, lines 21-25 and claim 9 --	1-8
X	WO 9114782 A1 (GIST-BROCADES N.V.), 3 October 1991 (03.10.91), See page 2, lines 25-27 --	9-14

☒ Further documents are listed in the continuation of Box C.

☒ See patent family annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

6 July 1999

Date of mailing of the international search report

13 -07- 1999

Name and mailing address of the ISA/
Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

Carolina Palmcrantz/Els
Telephone No. +46 8 782 25 00

2

INTERNATIONAL SEARCH REPORT

International application No.
PCT/DK 99/00154

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 9735016 A1 (NOVO NORDISK BIOTECH, INC.), 25 Sept 1997 (25.09.97), See page 41, lines 7-8; and claim 40 --	1-14
A	Dialog Information Services, File 5, Biosis, Dialog accession no. 10902627, Biosis accession no. 199799523772, Jiang Junping: "Thermostable phytase from Aspergillus sp.", Weishengwu Xuebao 36 (6): p476-478 1996 -- -----	1-14

INTERNATIONAL SEARCH REPORT
Information on patent family members

01/06/99

International application No.

PCT/DK 99/00154

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9716981 A1	15/05/97	AU 7567696 A	29/05/97
		BR 9606683 A	09/06/98
		CA 2209010 A	15/05/97
		CN 1168084 A	17/12/97
		CZ 9702093 A	18/03/98
		EP 0804087 A	05/11/97
		HU 9801179 A	28/08/98
		IL 121208 D	00/00/00
		JP 10512456 T	02/12/98
		PL 321186 A	24/11/97
		SK 90797 A	06/05/98
EP 0619369 A1	12/10/94	CA 2120265 A	06/10/94
		FI 941545 A	06/10/94
		JP 6319539 A	22/11/94
		NO 941183 A	06/10/94
		US 5443979 A	22/08/95
		US 5554399 A	10/09/96
EP 0682876 A1	22/11/95	AT 172078 T	15/10/98
		DE 69505299 D	00/00/00
		FR 2719978 A,B	24/11/95
WO 9114782 A1	03/10/91	AU 632941 B	14/01/93
		AU 649447 B	26/05/94
		AU 7765691 A	21/10/91
		AU 7776691 A	21/10/91
		CA 2054762 A	24/09/91
		CA 2056396 A	24/09/91
		EP 0449375 A	02/10/91
		EP 0449376 A	02/10/91
		FI 915477 D	00/00/00
		FI 915478 D	00/00/00
		HU 215164 B	28/10/98
		HU 215260 B	30/11/98
		IL 97645 A	18/03/97
		JP 6501838 T	03/03/94
		JP 6502296 T	17/03/94
		PT 97110 A,B	29/11/91
		PT 97111 A	31/12/91
		US 5543576 A	06/08/96
		US 5714474 A	03/02/98
		WO 9114772 A	03/10/91
		US 5593963 A	14/01/97
		US 5770413 A	23/06/98
WO 9735016 A1	25/09/97	AU 2077197 A	10/10/97
		AU 2539197 A	10/10/97
		CA 2248980 A	25/09/97
		EP 0904383 A	31/03/99
		US 5866118 A	02/02/99
		WO 9735017 A	25/09/97